homefitness

TOORX
FITNESS IN MOTION

2024-2025



homefitness

Immagini generate con IA
AI-generated images



BRX55

COD. BRX-55









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 6 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD
Informazioni: distanza, tempo, calorie, pulse, velocità, scan, odometro

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 6 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse

CONSOLE LCD display
Functions: distance, time, calories, pulse, speed, scan, odometer

- Peso massimo utilizzatore: 100 Kg
- Pedali/pedivelle: 1 pezzo
- Dimensioni: 910x560x1210 mm
- Dimensioni imballo: 705x250x570 mm
- Peso netto/lordo: 23/25 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996431

- Max user weight: 100 Kg
- Pedal/crank: 1 piece
- Dimensions: 910x560x1210 mm
- Packing size: 705x250x570 mm
- Weight/ Gross weight: 23/25 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996431



BRX COMPACT

COD. BRX-COMPACT











SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli e doppia cinghia per garantire una pedalata estremamente fluida e scorrevole

MASSA VOLANICA peso 6 kg

SELLA ampia con schienale reclinabile - regolazione verticale

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: scan, distanza, calorie, tempo, velocità, odometro

DOTAZIONI/NOTE salvaspazio

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster and double belt system for a very smooth pedaling

FLYWHEEL SYSTEM 6 kg

SEAT comfortable with reclining backrest - vertical adjustment

HEART RATE hand pulse

CONSOLE with LCD display - smartphone/tablet holder included
Functions: distance, time, calories, speed, scan, odometer

EQUIPMENT/NOTES space saving

- Peso massimo utilizzatore: 100 Kg
- Pedali/pedivelle: 3 pezzi
- Dimensioni: 970x450x1180 mm
- Dimensione chiuso: 480x450x1320 mm
- Dimensioni imballo: 1180x430x230 mm
- Peso netto/lordo: 17,8/19,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975970134

- Max user weight: 100 Kg
- Pedal/crank: 3 pieces
- Dimensions: 970x450x1180 mm
- Folded size: 480x450x1320 mm
- Packing size: 1180x430x230 mm
- Weight/ Gross weight: 17,8/19,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975970134



BRX R COMPACT

COD. BRX-RCOMPACT











SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo e doppia cinghia per garantire una pedalata estremamente fluida e scorrevole

MASSA VOLANICA peso 6 kg

SELLA ampia con schienale reclinabile - regolazione verticale

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD
Informazioni: scan, distanza, calorie, tempo, velocità, odometro

DOTAZIONI/NOTE salvaspazio - accesso facilitato

BRAKING SYSTEM magnetic with manual resistance adjuster and double belt system for a very smooth pedaling

FLYWHEEL SYSTEM 6 kg

SEAT comfortable with reclining backrest - vertical adjustment

HEART RATE hand pulse

CONSOLE with LCD display
Functions: distance, time, calories, scan, speed, odometer

EQUIPMENT/NOTES space saving - easy
access

- Peso massimo utilizzatore: 100 Kg
- Pedali/pedivelle: 3 pezzi
- Dimensioni: 1070x550x1100 mm
- Dimensione chiuso: 570x550x1060 mm
- Dimensioni imballo: 915x430x205 mm
- Peso netto/lordo: 16,5/19,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975970141

- Max user weight: 100 Kg
- Pedal/crank: 3 pieces
- Dimensions: 1070x550x1100 mm
- Folded size: 570x550x1060 mm
- Packing size: 915x430x205 mm
- Weight/ Gross weight: 16,5/19,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975970141



BRX COMPACT
MULTIFIT

COD. BRX-COMPACT-MFIT











SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli e doppia cinghia per garantire una pedalata estremamente fluida e scorrevole

MASSA VOLANICA peso 6 kg

SELLA ampia con schienale reclinabile - regolazione verticale

MANUBRIO regolazione inclinazione su 5 livelli - regolazione verticale su 7 livelli

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: scan, distanza, calorie, tempo, velocità, odometro

DOTAZIONI/NOTE salvaspazio - accesso facilitato - sistema multi regolazione.

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster and double belt system for a very smooth pedaling

FLYWHEEL SYSTEM 6 kg

SEAT comfortable with reclining backrest - vertical adjustment

HANDLEBAR 5-level incline adjustment - 7-level vertical adjustment

HEART RATE hand pulse

CONSOLE with LCD display - smartphone/tablet holder included
Functions: distance, time, calories, scan, speed, odometer

EQUIPMENT/NOTES space saving - easy access - multi adjustment system.

- Peso massimo utilizzatore: 100 Kg
- Pedali/pedivelle: 3 pezzi
- Dimensioni: 1080x450x1280 mm
- Dimensione chiuso: 580x450x1160 mm
- Dimensioni imballo: 1120x455x230 mm
- Peso netto/lordo: 20/22 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975970349

- Max user weight: 100 Kg
- Pedal/crank: 3 pieces
- Dimensions: 1080x450x1280 mm
- Folded size: 580x450x1160 mm
- Packing size: 1120x455x230 mm
- Weight/ Gross weight: 20/22 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975970349



BRX65

COD. BRX-65









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 7 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, odometro

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 7 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse

CONSOLE LCD display - smartphone/tablet holder included
Functions: Scan, Time, Speed, Distance, Odometer, Calories, Pulse

- Peso massimo utilizzatore: 110 Kg
- Pedali/pedivelle: 1 pezzo
- Dimensioni: 855x501x1375 mm
- Dimensioni imballo: 770x280x590 mm
- Peso netto/lordo: 23/25 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975810065

- Max user weight: 110 Kg
- Pedal/crank: 1 piece
- Dimensions: 855x501x1375 mm
- Packing size: 770x280x590 mm
- Weight/Gross weight: 23/25 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975810065



BRX FLEXI

COD. BRX-FLEXI











SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 6 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione. Con funzione voga

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD
Informazioni: distanza, tempo, calorie, pulse, velocità

DOTAZIONI/NOTE salvaspazio. Funzione voga

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 6 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle. With rowing handlebar for arm and upper body workout

HEART RATE hand pulse

CONSOLE LCD display
Functions: distance, time, calories, pulse, speed

EQUIPMENT/NOTES space saving. Rowing handlebar

- Peso massimo utilizzatore: 100 Kg
- Pedali/pedivelle: 1 pezzo
- Dimensioni: 800x440x1210 mm
- Dimensione chiuso: 470x440x1240 mm
- Dimensioni imballo: 455x260x680 mm
- Peso netto/lordo: 20/22 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975970240

- Max user weight: 100 Kg
- Pedal/crank: 1 piece
- Dimensions: 800x440x1210 mm
- Folded size: 470x440x1240 mm
- Packing size: 455x260x680 mm
- Weight/ Gross weight: 20/22 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975970240



BRX75

COD. BRX-75

DESIGN REGISTRATO
REGISTERED DESIGN









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 12 livelli

MASSA VOLANICA peso 9 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, scan

BRAKING SYSTEM magnetic with 12-level manual resistance adjuster

FLYWHEEL SYSTEM 9 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse

CONSOLE LCD display - smartphone/tablet holder included
Functions: Scan, Time, Speed, Distance, RPM, Calories, Pulse

- Peso massimo utilizzatore: 110 Kg
- Pedal/crank: 3 pezzi
- Dimensioni: 890x495x1380 mm
- Dimensioni imballo: 795x290x650 mm
- Peso netto/lordo: 25,1/28 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975809625

- Max user weight: 110 Kg
- Pedal/crank: 3 pieces
- Dimensions: 890x495x1380 mm
- Packing size: 795x290x650 mm
- Weight/ Gross weight: 25,1/28 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975809625



BRX75 EASY

COD. BRX-75-EASY

DESIGN REGISTRATO
REGISTERED DESIGN









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 12 livelli

MASSA VOLANICA peso 9 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione.
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, scan

DOTAZIONI/NOTE accesso facilitato

BRAKING SYSTEM magnetic with 12-level manual resistance adjuster

FLYWHEEL SYSTEM 9 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse

CONSOLE LCD display - smartphone/tablet holder included
Functions: Scan, Time, Speed, Distance, RPM, Calories, Pulse

EQUIPMENT/NOTES easy access

- Peso massimo utilizzatore: 110 Kg
- Pedali/pedivelle: 3 pezzi
- Dimensioni: 995x495x1380 mm
- Dimensioni imballo: 970x280x650 mm
- Peso netto/lordo: 25,5/28,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975809632

- Max user weight: 110 Kg
- Pedal/crank: 3 pieces
- Dimensions: 995x495x1380 mm
- Packing size: 970x280x650 mm
- Weight/ Gross weight: 25,5/28,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975809632



BRXR65 COMFORT

COD. BRX-R65-COMFORT









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 7 kg

SEDILE regolazione orizzontale con schienale per una posizione di allenamento ottimale

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione.
Informazioni: distanza, tempo, calorie, pulse, velocità, odometro, scan

DOTAZIONI/NOTE accesso facilitato

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 7 kg

SEAT horizontal adjustment with backrest for a comfortable training position

HEART RATE hand pulse

CONSOLE LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, odometer, scan

EQUIPMENT/NOTES easy access

- Peso massimo utilizzatore: 110 Kg
- Pedali/pedivelle: 1 pezzo
- Dimensioni: 1300x630x970 mm
- Dimensioni imballo: 780x280x330 mm
- Peso netto/lordo: 29,5/33 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996592

- Max user weight: 110 Kg
- Pedal/crank: 1 piece
- Dimensions: 1300x630x970 mm
- Packing size: 780x280x330 mm
- Weight/ Gross weight: 29,5/33 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996592



BRX85 EVO

COD. BRX-85EVO









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 10 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, scan

DOTAZIONI/NOTE accesso facilitato

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 10 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse

CONSOLE LCD display - smartphone/tablet holder included
Functions: scan, time, speed, distance, calories, pulse

EQUIPMENT/NOTES easy access

- Peso massimo utilizzatore: 120 Kg
- Pedali/pedivelle: 3 pezzi
- Dimensioni: 1056x520x1375 mm
- Dimensioni imballo: 1040x280x650 mm
- Peso netto/lordo: 28.5/33.5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975810010

- Max user weight: 120 Kg
- Pedal/crank: 3 pieces
- Dimensions: 1056x520x1375 mm
- Packing size: 1040x280x650 mm
- Weight/ Gross weight: 28.5/33.5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975810010



BRX90 EVO

COD. BRX-90EVO

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap



TOORX
FITNESS IN MOTION







SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 10 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, scan

PROGRAMMI 1 manuale, 24 presettati, watt, 3 HRC, body fat tester

DOTAZIONI/NOTE accesso facilitato. APP READY 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Compatibile con Kinomap fitness App e Zwift App (abbonamenti non incluso).

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 10 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse. Built-in wireless pulse receiver

CONSOLE LCD display - smartphone/tablet holder included
Functions: scan, time, speed, distance, calories, pulse

PROGRAMS 1 manual, 24 preset-program, watt, 3 HRC, body fat tester

EQUIPMENT/NOTES easy access. APP READY 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Compatible with Kinomap fitnessApp and Zwift App (subscriptions not included)

- Peso massimo utilizzatore: 120 Kg
- Pedali/pedivelle: 3 pezzi
- Dimensioni: 1056x520x1375 mm
- Dimensioni imballo: 1040x280x650 mm
- Peso netto/lordo: 28.5/33.5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975810027

- Max user weight: 120 Kg
- Pedal/crank: 3 pieces
- Dimensions:1056x520x1375 mm
- Packing size: 1040x280x650 mm
- Weight/ Gross weight: 28.5/33.5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975810027



BRX95

COD. BRX-95









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 10 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, recovery

PROGRAMMI 1 manuale, 12 presettati, 4 user, 4 HRC, body fat tester, watt

DOTAZIONI/NOTE accesso facilitato

BRAKING SYSTEM magnetic with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 10 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse. Built-in wireless pulse receiver

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, RPM, recovery

PROGRAMS 1 manual, 12 pre-set programs, 4 user, 4 HRC, body fat tester, watt

EQUIPMENT/NOTES easy access

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1100x530x1380 mm
- Dimensioni imballo: 920x230x825 mm
- Peso netto/lordo: 36/39 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975960562

- Max user weight: 125 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1100x530x1380 mm
- Packing size: 920x230x825 mm
- Weight/ Gross weight: 36/39 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975960562



BRXR95 COMFORT

COD. BRX-R95-COMFORT









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 24 livelli

MASSA VOLANICA peso 10 kg

SEDILE regolazione orizzontale. Con ampio schienale traspirante per una posizione di allenamento ottimale e confortevole

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, recovery

PROGRAMMI 1 manuale, 10 presettati, WATT, 3 HRC, 5 user

DOTAZIONI/NOTE accesso facilitato

BRAKING SYSTEM magnetic with 24-level electronic resistance adjuster

FLYWHEEL SYSTEM 10 kg

SEAT horizontal adjustment with breathable backrest for a comfortable training position

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, RPM, recovery

PROGRAMS 1 manual, 10 pre-set, WATT, 3 HRC, 5 user

EQUIPMENT/NOTES easy access

- Peso massimo utilizzatore: 130 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1500x600x1160 mm
- Dimensioni imballo: 1460x250x660 mm
- Peso netto/lordo: 43/48 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996677

- Max user weight: 130 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1500x600x1160 mm
- Packing size: 1460x250x660 mm
- Weight/ Gross weight: 43/48 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996677



BRX100

COD. BRX-100

TOORX
FITNESS IN MOTION
CHRONO LINE









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 12 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: scan, distanza, tempo, calorie, pulsazioni, velocità, RPM, recovery

PROGRAMMI 1 manuale, 12 presettati, 4 user, 4 HRC, body fat tester, watt

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 12 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse. Built-in wireless pulse receiver

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included
Functions: scan, distance, time, calories, pulse, speed, RPM, recovery

PROGRAMS 1 manual, 12 pre-set, 4 user, 4 HRC, body fat tester, watt

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1087x558x1372 mm
- Dimensioni imballo: 910x280x630 mm
- Peso netto/lordo: 35/37,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975960609

- Max user weight: 150 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1087x558x1372 mm
- Packing size: 910x280x630 mm
- Weight/ Gross weight: 35/37,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975960609



BRX AIR 300

COD. BRX-AIR300









SISTEMA DI FRENAGGIO ad aria con 12 pale radiali

TRASMISSIONE a cinghia

SELLA regolazione verticale e orizzontale

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione. Informazioni: distanza, tempo, calorie, watt, velocità, RPM

PROGRAMMI 1 manuale, 3 interval

DOTAZIONI/NOTE porta borraccia

BRAKING SYSTEM air resistance system with 12 radial blades

DRIVE TRAIN belt

SEAT vertical and horizontal adjustment

HEART RATE built-in wireless pulse receiver

CONSOLE LCD display - smartphone/tablet holder included Functions: distance, time, calories, watt, speed, RPM

PROGRAMS 1 manual, 3 interval

EQUIPMENT/NOTES bottle holder

- Peso massimo utilizzatore: 135 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1210x650x1280 mm
- Dimensioni imballo: 1200x370x660 mm
- Peso netto/lordo: 41/54 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999746

- Max user weight: 135 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1210x650x1280 mm
- Packing size: 1200x370x660 mm
- Weight/ Gross weight: 41/54 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999746



TOORX
FITNESS IN MOTION
CHRONO LINE

BRX300

COD. BRX-300

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 14 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI manuale, beginner, advance, sporty,cardio, watt, recovery, body fat tester, 4 HRC

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 14 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included.
Functions: distance, time, calories, pulse, speed, RPM

PROGRAMS manual, beginner, advance, sporty, cardio, watt, recovery, body fat tester, 4 HRC

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training.
Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1030x560x1490 mm
- Dimensioni imballo: 1090x270x690 mm
- Peso netto/lordo: 46/52 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975960579

- Max user weight: 150 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1030x560x1490 mm
- Packing size: 1090x270x690 mm
- Weight/ Gross weight: 46/52 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975960579

TOORX FITNESS IN MOTION

CHRONO LINE

BRXR300


COD. BRX-R300

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT · Kinomap · iconsole+











SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 14 kg

SEDILE regolazione orizzontale. Con ampio schienale traspirante per una posizione di allenamento ottimale e confortevole

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI manuale, beginner, advance, sporty, cardio, watt, recovery, body fat tester, 4 HRC

DOTAZIONI/NOTE accesso facilitato. App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 32-level electronic resistance

FLYWHEEL SYSTEM 14 kg

SEAT horizontal adjustment with breathable backrest for a comfortable training position

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM

PROGRAMS manual, beginner, advance, sporty,cardio, watt, recovery, body fat tester, 4 HRC

EQUIPMENT/NOTES easy access. App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1550x600x1150 mm
- Dimensioni imballo: 1545x310x650 mm
- Peso netto/lordo: 55/62 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975960623

- Max user weight: 150 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1550x600x1150 mm
- Packing size: 1545x310x650 mm
- Weight/ Gross weight: 55/62 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975960623



TOORX
FITNESS IN MOTION
CHRONO LINE

BRXR MULTIFIT

COD. BRX-RMULTIFIT

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT
Kinomap









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 14 kg

SEDILE regolazione orizzontale. Ampio schienale traspirante per una posizione di allenamento ottimale e confortevole. Seduta girevole a 90° a destra e a sinistra per consentire l'accesso a persone con ridotta mobilità

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato white - supporto per smartphone e tablet in dotazione. Informazioni: tempo, distanza, calorie, velocità, frequenza cardiaca, RPM, WATT

PROGRAMMI 1 manuale, 10 presettati, 1 WATT, 4 HRC, 4 User, Bodyfat

DOTAZIONI/NOTE accesso facilitato. APP READY 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Compatibile con Kinomap fitness App e Zwift App (abbonamenti non incluso).

BRAKING SYSTEM magnetic with 16-level electronic resistance

FLYWHEEL SYSTEM 14 kg

SEAT position horizontal adjustment. Large breathable backrest for a comfortable training position. Seat with 90° rotation both rightward and leftward to allow the access to persons with reduced mobility

HEART RATE hand pulse. Built-in wireless pulse receiver

CONSOLE withe backlight LCD display - smartphone/tablet holder included. Functions: time, distance, calorie, speed, pulse, RPM, WATT

PROGRAMS 1 manual, 10 pre-set, 1 WATT, 4 HRC, 4 User, Bodyfat

EQUIPMENT/NOTES easy access. APP READY 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Compatible with Kinomap fitnessApp and Zwift App (subscriptions not included)

- Leve: con impugnatura regolabile in altezza. Movimento sincrono di arti superiori e inferiori per un allenamento completo senza affaticare le articolazioni
- Peso massimo utilizzatore: 120 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1470x750x1140 mm
- Dimensioni imballo: 1460x250x660 mm
- Peso netto/lordo: 46/52 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975806488

- Levers: with height adjustable grip. Possibility of contemporaneously moving the upper and lower limbs for a complete training without straining the joints
- Max user weight: 120 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1470x750x1140 mm
- Packing size: 1460x250x660 mm
- Weight/ Gross weight: 46/52 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975806488



BRX100 ERGO

COD. BRX-100-ERGO

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole



TOORX FITNESS IN MOTION
CHRONO LINE







SISTEMA DI FRENAGGIO Ergometro - magnetico ad induzione e regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 14 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI 1 manuale, Coach (low/mid/top), HRC, Watt

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

BRAKING SYSTEM Ergometer with induction magnetic braking system with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 14 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, RPM

PROGRAMS 1 manual, Coach (low/mid/top), HRC, Watt

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1087x558x1372 mm
- Dimensioni imballo: 910x280x630 mm
- Peso netto/lordo: 37/39,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975998770

- Max user weight: 150 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1087x558x1372 mm
- Packing size: 910x280x630 mm
- Weight/ Gross weight: 37/39,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975998770

TOORX
FITNESS IN MOTION
CHRONO LINE



BRX R100 ERGO

COD. BRX-R100ERGO

APP READY









SISTEMA DI FRENAGGIO Ergometro - magnetico ad induzione e regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 14 kg

SEDILE regolazione orizzontale. Con ampio schienale traspirante per una posizione di allenamento ottimale e confortevole

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato blu - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, recovery

PROGRAMMI 1 manuale, 12 presettati, WATT, 3 HRC, 5 user

DOTAZIONI/NOTE accesso facilitato. App Ready: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Compatibile con Kinomap fitness App (abbonamento non incluso)

BRAKING SYSTEM Ergometer with induction magnetic braking system with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 14 kg

SEAT horizontal adjustment with breathable backrest for a comfortable training position

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE blue backlight LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, RPM, recovery

PROGRAMS 1 manual, 12 pre-set, WATT, 3 HRC, 5 user

EQUIPMENT/NOTES easy access. App Ready: built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Compatible with Kinomap fitness App (subscription not included)

- Peso massimo utilizzatore: 130 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1510x600x1160 mm
- Dimensioni imballo: 1460x250x660 mm
- Peso netto/lordo: 45/50 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999364

- Max user weight: 130 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1510x600x1160 mm
- Packing size: 1460x250x660 mm
- Weight/ Gross weight: 45/50 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999364



TOORX
FITNESS IN MOTION
CHRONO LINE

BRX300 ERGO

COD. BRX-300-ERGO

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole









SISTEMA DI FRENAGGIO ergometro - magnetico ad induzione e regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 16 kg

SELLA regolazione verticale e orizzontale

MANUBRIO regolazione inclinazione

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI manuale, beginner, advance, sporty,cardio, watt, recovery, body fat tester, 4 HRC

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

BRAKING SYSTEM ergometer with induction magnetic braking system with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

SEAT vertical and horizontal adjustment

HANDLEBAR adjustable angle

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included.
Functions: distance, time, calories, pulse, speed, RPM


PROGRAMS manual, beginner, advance, sporty, cardio, watt, recovery, body fat tester, 4 HRC

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training.
Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1030x560x1490 mm
- Dimensioni imballo: 1090x270x690 mm
- Peso netto/lordo: 48/54 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999128

- Max user weight: 150 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1030x560x1490 mm
- Packing size: 1090x270x690 mm
- Weight/ Gross weight: 48/54 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999128

TOORX
FITNESS IN MOTION
CHRONO LINE



BRX R300 ERGO

COD. BRX-R300ERGO

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole









SISTEMA DI FRENAGGIO Ergometro - magnetico ad induzione e regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 16 kg

SEDILE regolazione orizzontale. Con ampio schienale traspirante per una posizione di allenamento ottimale e confortevole

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI manuale, beginner, advance, sporty, cardio, watt, recovery, body fat tester, 4 HRC

DOTAZIONI/NOTE accesso facilitato. App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatibile con Zwift App, Kinomap fitness App (abbonamento non inclusi)

BRAKING SYSTEM Ergometer with induction magnetic braking system with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

SEAT horizontal adjustment with breathable backrest for a comfortable training position.

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM

PROGRAMS manual, beginner, advance, sporty,cardio, watt, recovery, body fat tester, 4 HRC

EQUIPMENT/NOTES easy access. App Ready 3.0: built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: extra large con cinghietto regolabile / 3 pezzi
- Dimensioni: 1545x650x1140 mm
- Dimensioni imballo: 1545x310x650 mm
- Peso netto/lordo: 57/64 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999135

- Max user weight: 150 Kg
- Pedal/crank: extra large with strap / 3 pieces
- Dimensions: 1545x650x1140 mm
- Packing size: 1545x310x650 mm
- Weight/ Gross weight: 57/64 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999135



ERX65

COD. ERX-65









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 8 kg

LUNGHEZZA PASSO 330 mm

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD
Informazioni: scan, distanza, tempo, calorie, pulse, velocità, odometro

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 8 kg

STRIDE LENGTH 330 mm

HEART RATE hand pulse

CONSOLE LCD display
Functions: scan, distance, time, calories, pulse, speed, odometer

- Peso massimo utilizzatore: 110 Kg
- Volano: posteriore
- Poggiapiede: regolabile su 3 posizioni
- Dimensioni: 1250x690x1620 mm
- Dimensioni imballo: 1065x370x555 mm
- Peso netto/lordo: 36/39 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996202

- Max user weight: 110 Kg
- Flywheel: rear
- Platform: 3-level adjustable
- Dimensions: 1250x690x1620 mm
- Packing size: 1065x370x555 mm
- Weight/ Gross weight: 36/39 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996202



ERX75

COD. ERX-75









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 8 livelli

MASSA VOLANICA peso 12 kg

LUNGHEZZA PASSO 300 mm

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD
Informazioni: scan, distanza, tempo, calorie, pulse, velocità, odometro

BRAKING SYSTEM magnetic with 8-level manual resistance adjuster

FLYWHEEL SYSTEM 12 kg

STRIDE LENGTH 300 mm

HEART RATE hand pulse

CONSOLE LCD display
Functions: scan, distance, time, calories, pulse, speed, odometer

- Peso massimo utilizzatore: 120 Kg
- Volano: posteriore
- Poggiapiede: regolabile su 3 posizioni
- Dimensioni: 1240x640x1660 mm
- Dimensioni imballo: 1190x445x580 mm
- Peso netto/lordo: 40/45 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996219

- Max user weight: 120 Kg
- Flywheel: rear
- Platform: 3-level adjustable
- Dimensions: 1240x640x1660 mm
- Packing size: 1190x445x580 mm
- Weight/ Gross weight: 40/45 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996219




ERX80

COD. ERX-80









SISTEMA DI FRENAGGIO magnetico con regolazione manuale dello sforzo su 10 livelli

MASSA VOLANICA peso 14 kg

LUNGHEZZA PASSO 340 mm

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD - supporto per smartphone e tablet in dotazione
Informazioni: velocità, distanza, calorie, tempo, frequenza cardiaca

BRAKING SYSTEM magnetic with 10-level manual resistance adjuster

FLYWHEEL SYSTEM 14 kg

STRIDE LENGTH 340 mm

HEART RATE hand pulse

CONSOLE LCD display - smartphone/tablet holder included
Functions: speed, distance, calories, time, pulse

- Peso massimo utilizzatore: 120 Kg
- Volano: posteriore
- Poggiapiede: regolabile su 3 posizioni
- Dimensioni: 1385x595x1640 mm
- Dimensioni imballo: 1145x420x620 mm
- Peso netto/lordo: 44/50 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975990316

- Max user weight: 120 Kg
- Flywheel: rear
- Platform: 3-level adjustable
- Dimensions: 1385x595x1640 mm
- Packing size: 1145x420x620 mm
- Weight/ Gross weight: 44/50 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975990316



ERX90

COD. ERX-90









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 14 kg

LUNGHEZZA PASSO 340 mm

RILEVAZIONE CARDIO hand pulse

CONSOLE con display LCD retro-illuminato blue backlight
Informazioni: velocità, distanza, calorie, tempo, pulse, RPM, recovery, watt

PROGRAMMI 12 programmi presettati, HRC

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 14 kg

STRIDE LENGTH 340 mm

HEART RATE hand pulse

CONSOLE with LCD display blue backlight
Functions: distance, time, calories, pulse, speed, RPM, recovery, watt

PROGRAMS 12 pre-set programs, HRC

- Peso massimo utilizzatore: 120 Kg
- Volano: posteriore
- Poggiapiede: regolabile su 3 posizioni
- Dimensioni: 1385x595x1640 mm
- Dimensioni imballo: 1145x420x620 mm
- Peso netto/lordo: 45/51 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975990064

- Max user weight: 120 Kg
- Flywheel: rear
- Platform: 3-level adjustable
- Dimensions: 1385x595x1640 mm
- Packing size: 1145x420x620 mm
- Weight/ Gross weight: 45/51 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975990064



ERX100

COD. ERX-100



TOORX FITNESS IN MOTION

CHRONO LINE







SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 14 kg

LUNGHEZZA PASSO 380 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, scan, RPM, recovery

PROGRAMMI 1 manuale, 4 Beginner, 4 Advance, 4 Sporty, 4 user, watt, 4 HRC, body fat tester

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 14 kg

STRIDE LENGTH 380 mm

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, scan, RPM, recovery

PROGRAMS 1 manual, 4 Beginner, 4 Advance, 4 Sporty, user, watt, 4 HRC, body fat tester

- Peso massimo utilizzatore: 150 Kg
- Volano: posteriore
- Poggiapiede: regolabile su 3 posizioni
- Dimensioni: 1480x600x1600 mm
- Dimensioni imballo: 1240x325x660 mm
- Peso netto/lordo: 52/56 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975960616

- Max user weight: 150 Kg
- Flywheel: rear
- Platform: 3-level adjustable
- Dimensions: 1480x600x1600 mm
- Packing size: 1240x325x660 mm
- Weight/ Gross weight: 52/56 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975960616



ERX300

COD. ERX-300

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT · Kinomap · iconsole+



TOORX
FITNESS IN MOTION
CHRONO LINE







SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 32 livelli

MASSA VOLANICA peso 16 kg

LUNGHEZZA PASSO 410 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI manuale, beginner, advance, sporty, cardio, watt, recovery, body fat tester, 4 HRC

DOTAZIONI/NOTE accesso facilitato. App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 32-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

STRIDE LENGTH 410 mm

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM

PROGRAMS manual, beginner, advance, sporty, cardio, watt, recovery, body fat tester, 4 HRC

EQUIPMENT/NOTES easy access. App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for training.
Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Volano: posteriore
- Poggiapiede: regolabile su 3 posizioni
- Dimensioni: 1660x590x1580 mm
- Dimensioni imballo: 1435x340x875 mm
- Peso netto/lordo: 68/76 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975960586

- Max user weight: 150 Kg
- Flywheel: rear
- Platform: 3-level adjustable
- Dimensions: 1660x590x1580 mm
- Packing size: 1435x340x875 mm
- Weight/ Gross weight: 68/76 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975960586



ERX400

COD. ERX-400

APP READY

TOORX
FITNESS IN MOTION
CHRONO LINE











SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 16 kg

LUNGHEZZA PASSO 480 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, watt

PROGRAMMI 1 manuale, 10 presettati, Watt, 4 HRC, 5 User

RICHIUDIBILE SALVASPAZIO 995x590x1790 mm

DOTAZIONI/NOTE App Ready: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App (abbonamento non incluso)

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

STRIDE LENGTH 480 mm

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included
Functions: distance, time, calories, pulse, speed, RPM,watt

PROGRAMS 1 manual, 10 pre-set, Watt, 4 HRC, 5 User

FOLDABLE SPACE SAVING 995x590x1790 mm

EQUIPMENT/NOTES App Ready: Built-in Bluetooth intelligent system which enables your elliptical to fully interact with the most motivating Apps specifically suitable for training.
Compatible with Kinomap fitness App (subscription not included)

- Peso massimo utilizzatore: 130 Kg
- Volano: anteriore
- Poggiapiede: extra large per una posizione di allenamento ottimale e confortevole
- Dimensioni: 1570x680x1800 mm
- Dimensioni imballo: 1650x500x720 mm
- Peso netto/lordo: 60/66 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999357

- Max user weight: 130 Kg
- Flywheel: front
- Platform: extra large for a comfortable training position
- Dimensions: 1570x680x1800 mm
- Packing size: 1650x500x720 mm
- Weight/ Gross weight: 60/66 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999357



ERX550

COD. ERX-550

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap



TOORX
FITNESS IN MOTION

CHRONO LINE







SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 24 livelli

MASSA VOLANICA peso 16 kg

LUNGHEZZA PASSO 510 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, watt

PROGRAMMI 1 manuale, 10 presettati,Watt, 4 HRC, 5 User

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App e Zwift App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 24-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

STRIDE LENGTH 510 mm

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM, watt

PROGRAMS 1 manual, 10 pre-set,Watt, 4 HRC, 5 User

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your elliptical to fully interact with the most motivating Apps specifically suitable for training.
Compatible with Kinomap fitnessApp and Zwift App (subscriptions not included)

- Peso massimo utilizzatore: 135 Kg
- Volano: anteriore
- Poggiapiede: extra large per una posizione di allenamento ottimale e confortevole
- Dimensioni: 1540x635x1790 mm
- Dimensioni imballo: 1545x470x740 mm
- Peso netto/lordo: 62,5/74,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975806174


- Max user weight: 135 Kg
- Flywheel: front
- Platform: extra large for a comfortable training position
- Dimensions: 1540x635x1790 mm
- Packing size: 1545x470x740 mm
- Weight/ Gross weight: 62,5/74,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975806174



ERX600

COD. ERX-600

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap



TOORX
FITNESS IN MOTION
CHRONO LINE









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 24 livelli

MASSA VOLANICA peso 16 kg

LUNGHEZZA PASSO 510 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, watt

PROGRAMMI 1 manuale, 10 presettati,Watt, 4 HRC, 5 User

RICHIUDIBILE SALVASPAZIO 1030x635x1790 mm

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App e Zwift App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 24-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

STRIDE LENGTH 510 mm

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM, watt

PROGRAMS 1 manual, 10 pre-set,Watt, 4 HRC, 5 User

FOLDABLE SPACE SAVING 1030x635x1790 mm

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your elliptical to fully interact with the most motivating Apps specifically suitable for training.
Compatible with Kinomap fitnessApp and Zwift App (subscriptions not included)

- Peso massimo utilizzatore: 135 Kg
- Volano: anteriore
- Poggiapiede: extra large per una posizione di allenamento ottimale e confortevole
- Dimensioni: 1720x635x1790 mm
- Dimensioni imballo: 1660x470x740 mm
- Peso netto/lordo: 65/77 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975806181

- Max user weight: 135 Kg
- Flywheel: front
- Platform: extra large for a comfortable training position
- Dimensions: 1720x635x1790 mm
- Packing size: 1660x470x740 mm
- Weight/ Gross weight: 65/77 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975806181



ERX650

COD. ERX-650

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap

TOORX
FITNESS IN MOTION

CHRONO LINE









SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 24 livelli

MASSA VOLANICA peso 16 kg

LUNGHEZZA PASSO 510 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM, watt

PROGRAMMI 1 manuale, 10 presettati,Watt, 4 HRC, 5 User

INCLINAZIONE POGGIAPIEDE su 3 livelli (0°, 4°, 8°)

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap
fitness App e Zwift App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 24-level electronic resistance adjuster

FLYWHEEL SYSTEM 16 kg

STRIDE LENGTH 510 mm

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE multicolor backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM, watt

PROGRAMS 1 manual, 10 pre-set,Watt, 4 HRC, 5 User

PLATFORMS INCLINE on 3-level (0°, 4°, 8°)

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your elliptical to fully interact with the most motivating Apps specifically suitable for training.
Compatible with Kinomap fitnessApp and Zwift App (subscriptions not included)

- Peso massimo utilizzatore: 135 Kg
- Volano: anteriore
- Poggiapiede: extra large per una posizione di allenamento ottimale e confortevole
- Dimensioni: 1720x635x1790 mm
- Dimensioni imballo: 1660x470x740 mm
- Peso netto/lordo: 66/79,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975806198

- Max user weight: 135 Kg
- Flywheel: front
- Platform: extra large for a comfortable training position
- Dimensions: 1720x635x1790 mm
- Packing size: 1660x470x740 mm
- Weight/ Gross weight: 66/79,5kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975806198



ERX900

COD. ERX-900

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH



TOORX
FITNESS IN MOTION
CHRONO LINE







SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 20 kg

LUNGHEZZA PASSO regolabile manualmente a 430 o 560 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato blu - supporto per smartphone e tablet in dotazione
Informazioni: distanza, tempo, calorie, pulse, velocità, RPM

PROGRAMMI manuale, 12 presettati, Recovery, 4 user, 4 HRC, Watt (10-350W)

DOTAZIONI/NOTE Manubrio multi posizione. Uscita USB. App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 20 kg

STRIDE LENGTH 430 and 560 mm with manual adjustment

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE blue backlight LCD display - smartphone/tablet holder included. Functions: distance, time, calories, pulse, speed, RPM

PROGRAMS 1 manual, 12 pre-set programs, Recovery, 4 user, 4 HRC, Watt (10-350W)

EQUIPMENT/NOTES Multi-holding position handlebar. USB charger included. App Ready 3.0: Built-in Bluetooth intelligent system which enables your elliptical to fully interact with the most motivating Apps specifically suitable for training.
Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Volano: anteriore
- Poggiapiede: con gomma ammortizzante
- Dimensioni: 1267x914x1675 mm
- Dimensioni imballo: 1230x575x880 mm
- Peso netto/lordo: 85/95 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975805382

- Max user weight: 150 Kg
- Flywheel: front
- Platform: with cushion pad for a comfortable training position
- Dimensions: 1267x914x1675 mm
- Packing size: 1230x575x880 mm
- Weight/ Gross weight: 85/95 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975805382



ERX900 TFT

COD. ERX-900-TFT

APP READY 3.0

COMPATIBILE CON

HD TOUCH SCREEN



TOORX FITNESS IN MOTION

CHRONO LINE







SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 20 kg

LUNGHEZZA PASSO regolabile manualmente a 430 o 560 mm

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato

CONSOLE 10" TFT HD touch screen. App pre-installate: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*, Kinomap*, iConsole+. * Abbonamento non incluso. Informazioni: velocità, frequenza cardiaca, distanza, tempo, calorie, BAI (Body Adiposity Index), RPM, HR zone, storico allenamenti

PROGRAMMI Recovery, 4 user, 4 HRC, Watt (10-350W), Quick Start, Interval, Map your Route, Constant Power, Programs (P1-P12), Heart rate Control, FTMS

DOTAZIONI/NOTE Manubrio multi posizione. Uscita USB per ricaricare dispositivi. App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento . Include iConsole + Training App. Compatibile con Zwift App* e Kinomap fitness App (abbonamenti non inclusi). * Connessione e visualizzazione solo tramite smartphone o tablet.

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 20 kg

STRIDE LENGTH 430 and 560 mm with manual adjustment

HEART RATE hand pulse. Built-in wireless pulse receiver.

CONSOLE 10" TFT HD touch screen. App pre-installed: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*, Kinomap*, iConsole+. * Subscription not included. Functions: speed, pulse, distance, time, calories, BAI (Body Adiposity Index), RPM, HR zone, training history

PROGRAMS Recovery, 4 user, 4 HRC, Watt (10-350W), Quick Start, Interval, Map your Route, Constant Power, Programs (P1-P12), Heart rate Control, FTMS

EQUIPMENT/NOTES Multi-holding position handlebar. USB charger included. App Ready 3.0: Builtin Bluetooth intelligent system which enables your elliptical to full interact with the most motivating Apps specifically suitable for training. Includes iConsole + Training App. Compatible with Zwift App*, Kinomap fitness App (subscriptions not included). * Connection and visualization through smartphone or tablet only.

- Peso massimo utilizzatore: 150 Kg
- Volano: anteriore
- Poggiapiede: con gomma ammortizzante
- Dimensioni: 1267x914x1675 mm
- Dimensioni imballo: 1230x575x880 mm
- Peso netto/lordo: 85/95 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975805399

- Max user weight: 150 Kg
- Flywheel: front
- Platform: with cushion pad for a comfortable training position
- Dimensions: 1267x914x1675 mm
- Packing size: 1230x575x880 mm
- Weight/ Gross weight: 85/95 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975805399



SRX40S

COD. SRX-40S









TRASMISSIONE a catena con pignone fisso

SISTEMA DI FRENAGGIO a pattini con feltri. Dotato di leva di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 18 kg (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale

COMPUTER con LCD velocità, tempo, distanza, calorie, scan

DRIVE TRAIN chain - fixed gear

BRAKING SYSTEM long life felt pad. Brake lever for emergency stop

FLYWHEEL SYSTEM 18 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR vertical adjustment

COMPUTER with LCD distance, time, calories, speed, scan

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1210x530x1190 mm
- Dimensioni imballo: 1100x205x840 mm
- Peso netto/lordo: 37/42 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996561

- Max user weight: 125 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1210x530x1190 mm
- Packing size: 1100x205x840 mm
- Weight/ Gross weight: 37/42 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996561



SRX45S

COD. SRX-45S









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a pattini con feltri. Dotato di leva di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 18 kg (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale

COMPUTER con LCD velocità, tempo, distanza, calorie, scan

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt brake shoes. Brake lever for emergency stop

FLYWHEEL SYSTEM 18 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR vertical adjustment

COMPUTER with LCD distance, time, calories, speed, scan

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1210x530x1190 mm
- Dimensioni imballo: 1100x205x840 mm
- Peso netto/lordo: 37/42 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996578

- Max user weight: 125 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1210x530x1190 mm
- Packing size: 1100x205x840 mm
- Weight/ Gross weight: 37/42 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996578



SRX50S

COD. SRX-50S



Borraccia non inclusa.
Water bottle not included.







TRASMISSIONE a catena con pignone fisso

SISTEMA DI FRENAGGIO a pattini con feltri. Dotato di leva di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 20 kg (bilanciato)

SELLA bicolore con regolazione verticale e orizzontale

MANUBRIO regolazione verticale

RILEVAZIONE CARDIO hand pulse

COMPUTER con LCD velocità, tempo, distanza, pulsazioni, calorie, odometro

DRIVE TRAIN chain - fixed gear

BRAKING SYSTEM long life felt pad. Brake lever for emergency stop

FLYWHEEL SYSTEM 20 kg (balanced)

SEAT bicolour saddle with vertical and horizontal adjustment

HANDLEBAR vertical adjustment


HEART RATE hand pulse

COMPUTER with LCD distance, time, calories, pulse, speed, odometer

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1070x510x1150 mm
- Dimensioni imballo: 1080x195x840 mm
- Peso netto/lordo: 41/46 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996554

- Max user weight: 125 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1070x510x1150 mm
- Packing size: 1080x195x840 mm
- Weight/ Gross weight: 41/46 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996554





indoor cycles

SRX60 EVO

COD. SRX-60EVO









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a tampone con feltri. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 20 kg lavorato (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale. Appoggio ergonomico per avambracci

RILEVAZIONE CARDIO hand pulse

COMPUTER con LCD velocità, tempo, pulsazioni, distanza, calorie, odometro

DOTAZIONI/NOTE supporto per smartphone/tablet

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt pad. Brake button for emergency stop

FLYWHEEL SYSTEM 20 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR vertical adjustment. Handles with ergonomic supports

HEART RATE hand pulse

COMPUTER with LCD distance, time, calories, pulse, speed, odometer

EQUIPMENT/NOTES smartphone/tablet holder included

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1050x540x1130 mm
- Dimensioni imballo: 1100x225x855 mm
- Peso netto/lordo: 43/47 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999616

- Max user weight: 125 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1050x540x1130 mm
- Packing size: 1100x225x855 mm
- Weight/ Gross weight: 43/47 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999616



indoor cycles

SRX65 EVO

COD. SRX-65EVO









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a tampone con feltri. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 22 kg lavorato (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale. Appoggio ergonomico per avambracci

RILEVAZIONE CARDIO Ricevitore wireless per fascia cardio integrato.

COMPUTER con LCD velocità, tempo, pulsazioni, distanza, calorie, RPM

DOTAZIONI/NOTE supporto per smartphone/tablet

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt pad. Brake button for emergency stop

FLYWHEEL SYSTEM 22 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR vertical adjustment. Handles with ergonomic supports

HEART RATE Built-in wireless pulse receiver.

COMPUTER with LCD distance, time, calories, pulse, speed, RPM

EQUIPMENT/NOTES smartphone/tablet holder included

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1050x540x1130 mm
- Dimensioni imballo: 1100x225x855 mm
- Peso netto/lordo: 45/49 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999609

- Max user weight: 125 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1050x540x1130 mm
- Packing size: 1100x225x855 mm
- Weight/ Gross weight: 45/49 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999609



indoor cycles

SRX70S

COD. SRX-70S



Borraccia non inclusa.
Water bottle not included.







TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a tampone con feltri. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 22 kg (bilanciato)

SELLA bicolore con regolazione verticale e orizzontale

MANUBRIO regolazione verticale e orizzontale micrometrica

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato.

COMPUTER con LCD velocità, tempo, distanza, pulsazioni, calorie, RPM, odometro

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt pad. Brake button for emergency stop

FLYWHEEL SYSTEM 22 kg (balanced)

SEAT bicolour saddle with vertical and horizontal adjustment

HANDLEBAR micrometric vertical and horizontal adjustment

HEART RATE hand pulse. Built-in wireless pulse receiver.

COMPUTER with LCD distance, time, calories, pulse, speed, odometer, RPM

- Peso massimo utilizzatore: 125 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1210x540x1215 mm
- Dimensioni imballo: 1100x250x850 mm
- Peso netto/lordo:47/52 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975996523

- Max user weight: 125 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1210x540x1215 mm
- Packing size: 1100x250x850 mm
- Weight/ Gross weight: 47/52 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975996523



SRX SPEED MAG

COD. SRX-SPEED-MAG









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO magnetico. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 20 kg (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale e regolazione orizzontale micrometrica

RILEVAZIONE CARDIO Ricevitore wireless per fascia cardio integrato

COMPUTER con LCD velocità, tempo, distanza, pulsazioni, calorie, RPM

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM magnetic. Brake button for emergency stop

FLYWHEEL SYSTEM 20 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR vertical adjustment and micrometric horizontal adjustment

HEART RATE Built-in wireless pulse receiver.

COMPUTER with LCD distance, time, calories, pulse, speed, RPM

- Peso massimo utilizzatore: 130 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1190x510x1340 mm
- Dimensioni imballo: 1060x255x1020 mm
- Peso netto/lordo: 38/44 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999371

- Max user weight: 130 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1190x510x1340 mm
- Packing size: 1060x255x1020 mm
- Weight/ Gross weight: 38/44 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999371



indoor cycles

SRX80 EVO

COD. SRX-80 EVO









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a tampone con feltri. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 24 kg (bilanciato)

SELLA bicolore con regolazione verticale e orizzontale micrometrica

MANUBRIO regolazione verticale e orizzontale micrometrica - con doppio porta borraccia

RILEVAZIONE CARDIO Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa

COMPUTER con LCD velocità, tempo, distanza, pulsazioni, calorie, RPM

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt pad. Brake button for emergency stop

FLYWHEEL SYSTEM 24 kg (balanced)

SEAT bicolour saddle with micrometric vertical and horizontal adjustment


HANDLEBAR micrometric vertical and horizontal adjustment - with double bottle holder

HEART RATE Built-in wireless pulse receiver. Chest belt included

COMPUTER with LCD distance, time, calories, pulse, speed, RPM

- Peso massimo utilizzatore: 140 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1100x530x1190 mm
- Dimensioni imballo: 1050x225x910 mm
- Peso netto/lordo: 51/54 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975999623

- Max user weight: 140 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1100x530x1190 mm
- Packing size: 1050x225x910 mm
- Weight/ Gross weight: 51/54 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975999623




SRX90

COD. SRX-90









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a tampone con feltri. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 24 kg lavorato (CNC e bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale e orizzontale micrometrica

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa

COMPUTER con LCD velocità, tempo, distanza, pulsazioni, calorie, RPM

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt pad. Brake button for emergency stop

FLYWHEEL SYSTEM 24 kg (CNC-balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment


HANDLEBAR vertical adjustment and micrometric horizontal adjustment

HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included

COMPUTER with LCD distance, time, calories, pulse, speed, RPM

- Peso massimo utilizzatore: 140 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1250x540x1250 mm
- Dimensioni imballo: 1080x225x890 mm
- Peso netto/lordo: 57/62 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975970028

- Max user weight: 140 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1250x540x1250 mm
- Packing size: 1080x225x890 mm
- Weight/ Gross weight: 57/62 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975970028



SRX SPEED MAG PRO

COD. SRX-SPEED-MAG-PRO

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 24 livelli. Dotato di freno di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 20 kg (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale e regolazione orizzontale micrometrica

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa

CONSOLE con display LCD retro-illuminato blu - supporto per smartphone e tablet in dotazione Informazioni: RPM, velocità, tempo, distanza, calorie, pulsazioni, watt, livello intensità

PROGRAMMI 1 manuale, 10 programmi Predefiniti, 4 HRC, Watt, User

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Compatibile con Kinomap fitness App e Zwift App (abbonamenti non incluso).

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM magnetic with 24-level motorized resistance adjuster. Brake button for emergency stop

FLYWHEEL SYSTEM 20 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR vertical adjustment and micrometric horizontal adjustment

HEART RATE built-in wireless pulse receiver. Chest belt included

CONSOLE with LCD display - blue - smartphone/tablet holder included. Functions: time, speed, pulse, distance, calories, watt, RPM, resistance level

PROGRAMS 1 manual, 10 pre-set programs, 4 HRC, Watt, User

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Compatible with Kinomap fitnessApp and Zwift App (subscriptions not included)

- Peso massimo utilizzatore: 130 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1160x510x1320 mm
- Dimensioni imballo: 1060x255x1020 mm
- Peso netto/lordo: 43/48 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975806006

- Max user weight: 130 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1160x510x1320 mm
- Packing size: 1060x255x1020 mm
- Weight/ Gross weight: 43/48 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975806006



SRX100

COD. SRX-100

TOORX
FITNESS IN MOTION
CHRONO LINE









TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO a tampone con feltri. Dotato di leva di sicurezza per il bloccaggio rapido del volano

MASSA VOLANICA peso 26 kg (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale e orizzontale micrometrica - con doppio porta borraccia

RILEVAZIONE CARDIO ricevitore wireless integrato. Fascia cardio inclusa

COMPUTER con display LCD
Informazioni: velocità, tempo, pulse, distanza, calorie, RPM

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM long life felt pad. Brake button for emergency stop

FLYWHEEL SYSTEM 26 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR micrometric vertical and horizontal adjustment with double bottle holder

HEART RATE Built-in wireless pulse receiver. Chest belt included

COMPUTER LCD display
Functions: time, pulse, calories, distance, speed, RPM

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: a sgancio rapido SPD / 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1180x530x1320 mm
- Dimensioni imballo: 1065x230x900 mm
- Peso netto/lordo: 65/70 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975993720

- Max user weight: 150 Kg
- Pedal/crank: quick cleat retention system SPD / 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1180x530x1320 mm
- Packing size: 1065x230x900 mm
- Weight/ Gross weight: 65/70 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975993720



SRX EVOLVE

COD. SRX-EVOLVE

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT · Kinomap · iconsole+

TOORX
FITNESS IN MOTION

CHRONO LINE







TRASMISSIONE a cinghia con pignone fisso
SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 24 livelli. Dotato di freno di sicurezza per il bloccaggio rapido del volano
MASSA VOLANICA peso 22 kg bilanciato
SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica
MANUBRIO regolazione verticale e regolazione orizzontale micrometrica
RILEVAZIONE CARDIO ricevitore wireless integrato. Fascia cardio inclusa
COMPUTER con display LCD retroilluminato multicolor. Supporto per smartphone in dotazione. Informazioni: distanza, tempo, calorie, pulsazioni, velocità, RPM, odometro, Watt, livello intensità
PROGRAMMI 1 Manuale, 12 programmi, 4 HRC, watt
DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

DRIVE TRAIN belt - fixed gear
BRAKING SYSTEM magnetic with 24-level motorized resistance adjuster. Brake button for emergency stop
FLYWHEEL SYSTEM 22 kg balanced
SEAT bicolour saddle with vertical adjustment and micrometrical horizontal adjustment
HANDLEBAR vertical adjustment and micrometrical horizontal adjustment
HEART RATE Built-in wireless pulse receiver. Chest belt included
COMPUTER multicolor LCD display - smartphone holder included. Functions: distance, time, calories, pulse, speed, RPM, odometer, Watt, resistance level
PROGRAMS 1 Manual, 12 pre-set, 4 HRC, watt
EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1260x620x1190 mm
- Dimensioni imballo: 1080x285x890 mm
- Peso netto/lordo: 43,5/47,5 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975805979

- Max user weight: 150 Kg
- Pedal/crank: 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1260x620x1190 mm
- Packing size: 1080x285x890 mm
- Weight/ Gross weight: 43,5/47,5 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975805979



SRX500

COD. SRX-500

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT · Kinomap · iconsole+



TOORX
FITNESS IN MOTION

CHRONO LINE







TRASMISSIONE a cinghia con pignone fisso

SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 32 livelli. Nuovo gruppo frenante ad azione diretta. Freno a tampone di sicurezza per il bloccaggio rapido del volano.

MASSA VOLANICA peso 24 kg (bilanciato)

SELLA bicolore con regolazione verticale e regolazione orizzontale micrometrica

MANUBRIO regolazione verticale e orizzontale micrometrica

RILEVAZIONE CARDIO ricevitore wireless integrato. Fascia cardio inclusa.

CONSOLE con display LCD retro-illuminato multicolor - supporto per smartphone e tablet in dotazione . Informazioni: tempo, velocità, pulse, distanza, calorie, odometro RPM

PROGRAMMI 12 programmi, 4 HRC, watt

DOTAZIONI/NOTE App Ready 3.0: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento con bike. Include iConsole + Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

DRIVE TRAIN belt - fixed gear

BRAKING SYSTEM magnetic with 32-level electronic resistance adjuster. New direct-acting braking system. Brake button for emergency stop

FLYWHEEL SYSTEM 24 kg (balanced)

SEAT bicolour saddle with vertical adjustment and micrometric horizontal adjustment

HANDLEBAR micrometric vertical and horizontal adjustment

HEART RATE Built-in wireless pulse receiver. Chest belt included

CONSOLE with LCD display - multicolor - smartphone/tablet holder included. Functions: time, speed, pulse, distance, calories, odometer, RPM

PROGRAMS 12 pre-set programs, 4 HRC, watt

EQUIPMENT/NOTES App Ready 3.0: Built-in Bluetooth intelligent system which enables your bike to fully interact with the most motivating Apps specifically suitable for bike training. Includes iConsole + Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso massimo utilizzatore: 150 Kg
- Pedali/pedivelle: a sgancio rapido SPD / 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1210x530x1150 mm
- Dimensioni imballo: 1010x230x850 mm
- Peso netto/lordo: 59/62 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 8029975998787

- Max user weight: 150 Kg
- Pedal/crank: quick cleat retention system SPD / 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1210x530x1150 mm
- Packing size: 1010x230x850 mm
- Weight/ Gross weight: 59/62 kg
- Compliances: CE-ROHS - EN957
- EAN code: 8029975998787



SRX REBEL

COD. SRX-REBEL

APP READY 4.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT · Kinomap · Iconsole+ · BKOOL · FULGAZ · ROUVY · wahoo









TRASMISSIONE: a cinghia con ruota libera

SISTEMA DI FRENAGGIO: ergometro-magnetico ad induzione a doppia bobina e regolazione elettronica dello sforzo

VOLANO: Peso 11 kg (percepito 21.5 kg)

CONSOLE: con display LCD retroilluminato. Inclinazione regolabile micrometrica. Supporto per smartphone e tablet in dotazione. Informazioni console: tempo, RPM, velocità, calorie, Watt, HR Zone, Watt Zone, SP, VI, SV, EPV. Inclinazione: sincronizzata ed interattiva (APP) in modalità bike.

RILEVAZIONE CARDIO: ricevitore wireless ANT+/5.3kHz/BT integrato

PROGRAMMI: RIDE/ERG/FTP TEST/4 user/Max Watt 2000/ Aggiornamenti firmware: OTA tramite Iconsole+

DOTAZIONI/NOTE: App Ready 4.0. Protocollo di trasmissione dati bike/app FTMS (Fitness Machine Service) che la rende compatibile con le maggiori e più diffuse applicazioni di allenamento dedicate al ciclismo: ZWIFT*, BKOOL*, ROUVY,* KINOMAP*, FULGAZ*, WAHOO*, Iconsole+ (*abbonamenti non inclusi).

TRANSMISSION: belt drive with freewheel

BRAKING SYSTEM: ergometer with induction double coil magnetic breaking system with electronic resistence adjuster

FLYWHEEL: Weight 11 kg (perceived 21.5 kg)

CONSOLE: with backlight LCD display. Micrometric adjustable incline. Support for smartphone and tablet included. Console information: time, RPM, speed, calories, Watt, HR Zone, Watt Zone, SP, VI, SV, EPV. Incline: synchronized and interactive (APP) in bike mode.

HEART RATE MONITORING: integrated ANT+/5.3kHz/BT wireless receiver

PROGRAMS: RIDE/ERG/FTP TEST/4 user/Max Watt 2000/ Firmware updates: OTA via Iconsole+

EQUIPMENT/NOTES: App Ready 4.0. Bike/App data transmission protocol FTMS (Fitness Machine Service), making it compatible with the most popular and widely used cycling training apps: ZWIFT*, BKOOL*, ROUVY*, KINOMAP*, FULGAZ*, WAHOO*, Iconsole+ (*subscriptions not included).

- Peso massimo utilizzatore: 150 Kg
- Manubrio: regolazione verticale e orizzontale micrometrica
- Sella: regolazione verticale micrometrica a cremagliera con step da 2.5mm e regolazione orizzontale micrometrica
- Pedali/Pedivelle: a sgancio rapido SPD / 3 pezzi
- Dimensioni: 1236x603x1322 mm
- Dimensioni imballo: 1550x250x910 mm
- Peso netto/lordo: 57/65 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975809731

- Max user weight: 150 Kg
- Handlebar adjustments: vertical and horizontal micrometric adjustments
- Seat adjustments: micrometric vertical adjustment with 2.5mm step rack and micrometric horizontal adjustment
- Pedals/Crankset: quick release SPD / 3 pieces
- Dimensions: 1236x603x1322 mm
- Packaging dimensions: 1550x250x910 mm
- Net/Gross weight: 57/65 kg
- Certifications: CE-ROHS-EN957
- EAN code: 8029975809731

TOORX
FITNESS IN MOTION
CHRONO LINE

regolazione sforzo

FITNESS: 80 livelli; BIKE: 24 Rapporti e 15% inclinazione. La rebel può cambiare il rapporto virtuale (gear) su 24 livelli (livello 1: Shimano 34-30 | Livello 24: Shimano 50-11) e simulare l'inclinazione fino al 15% (step da 0.5), operazioni effettuabili tramite i pulsanti (+) e (-) presenti sulle leve di destra e sinistra, offrendo una simulazione ciclistica ancora più realistica e coinvolgente.

resistance adjustment

FITNESS: 80 levels; BIKE: 24 Gears and 15% incline. The Rebel can change the virtual gear on 24 levels (Level 1: Shimano 34-30 | Level 24: Shimano 50-11) and simulate incline up to 15% (0.5% steps). These operations can be performed using the (+) and (-) buttons located on the right and left shifters, providing a more realistic and immersive cycling simulation.



pulsanti di controllo

Posizionati sulle leve manubrio, come nelle biciclette da corsa, per un'esperienza di guida più intuitiva e simile a quella reale.

control buttons

positioned on the handlebars, like on road bikes, for a more intuitive and realistic riding experience.







corpo manubrio

Progettato per offrire tutte le prese tipiche del ciclismo: posizione su orizzontale, mani basse, leve e time trial. Per quest'ultima, sono previsti due supporti ruotabili per appoggiare gli avambracci. Questo permette una simulazione accurata della posizione da crono. I supporti possono essere ruotati in posizione di riposo, consentendo così una presa comoda senza interferenze con le mani nelle prese non TT (time trial). Il corpo manubrio comprende anche 2 porta borraccia laterali e facilmente raggiungibili durante l'esecuzione dell'allenamento.

handlebar

designed to offer all the typical cycling grips: horizontal position, drops, hoods, and time trial. For the latter, two rotatable supports are provided to rest the forearms, allowing for an accurate simulation of the TT (time trial) position. The supports can be rotated to a rest position, allowing a comfortable grip without interference in non-TT positions. The handlebar also includes two side bottle holders, easily accessible during training.













BOWFLEX

VELOCORE

COD. BOW-VELOCORE










TRASMISSIONE cinghia - pignone fisso
SISTEMA DI RESISTENZA magnetico - 100 livelli con regolazione manuale
MASSA VOLANICA peso 15 kg (volano bilanciato)
SELLA racing con regolazione micrometrica verticale / orizzontale
MANUBRIO racing 6 posizioni multipresa con regolazione micrometrica verticale
RILEVAZIONE CARDIO ricevitore wireless Bluetooth integrato. Fascia cardio da braccio Bluetooth inclusa
CONSOLE HD touchscreen 16" con regolazione della inclinazione, supporto per smartphone, casse audio Bluetooth integrate. Informazioni: tempo, distanza, calorie, pulsazioni, velocità, RPM, livello resistenza, segmenti HIIT, pittogramma "core engagement"
PROGRAMMI 1 programma manuale, 75 video-allenamenti adattivi pre-impostati (iscrizione a JRNY necessaria - 1 anno di abbonamento gratuito)
DOTAZIONI/NOTE doppio stile di corsa: inclinato/verticale selezionabile con pulsante blocco sul telaio. Con l'iscrizione (non inclusa) alla App JRNY è possibile collegarsi a: Netflix, Google, Amazon Prime Video, Disney + direttamente sul monitor touchscreen HD. Compatibile con Zwift App e Peloton App (abbonamenti non inclusi)

DRIVE TRAIN belt drive system - fixed gear
BRAKING SYSTEM magnetic with 100-level and manual resistance adjustment
FLYWHEEL SYSTEM weight 15 kg (balanced flywheel)
SEAT racing saddle with micrometric vertical and horizontal adjustment
HANDLEBAR multi-grip 6 positions - racing handlebar with micrometric vertical adjustment
HEART RATE built-in wireless Bluetooth pulse receiver. Bluetooth armband included
CONSOLE HD touchscreen 16" with inclined adjustment and smartphone holder, Bluetooth speakers integrated. Information: time, distance, calorie, pulse, speed, RPM, resistance level, HIIT segments, "core engagement" pictogram
PROGRAMS 1 manual program, 75 pre-set video adaptive workouts (JRNY membership required - 1 year subscription free)
EQUIPMENT/NOTES multiple riding sistem: leaning/stationary selectable button with lock on the frame. By subscribing (not included) to the JRNY App, it is possible to connect to: Netflix, Google, Amazon Prime Video, Disney +, directly on the HD touchscreen monitor. Compatible with Zwift App and Peloton App (subscriptions not included).

- Peso massimo utilizzatore: 145 Kg
- Pedali/pedivelle:a sgancio rapido SPD / 3 pezzi
- Struttura: in acciaio ad alto spessore. Verniciatura a polveri ad alta resistenza
- Dimensioni: 1518x612x1336 mm
- Dimensioni imballo: 1295x470x927 mm
- Peso netto/lordo: 79,4/84,4 kg
- Certificazioni: CE-ROHS - EN957
- Codice EAN: 0708447915122

- Max user weight: 145 Kg
- Pedal/crank: quick cleat retention system SPD / 3 pieces
- Frame: high-density steel. Heavy duty powder coating
- Dimensions: 1518x612x1336 mm
- Packing size: 1295x470x927 mm
- Weight/ Gross weight: 79,4/84,4 kg
- Compliances: CE-ROHS - EN957
- EAN code: 0708447915122



TX-POWER

POWER METER PEDALS KEO SYSTEM

COD. PMP-KEO



SET TX-POWER KEO

COD. PMP-KEO-COMP

Il set comprende una coppia di power meter pedals KEO system e un ciclocomputer d'allenamento per indoor cycling, capace di rilevare tutti i dati emessi dai pedali. Fascia cardio inclusa.
Codice EAN: 8029975810119

The set includes a pair of KEO system power meter pedals and a training computer for indoor cycling, capable of detecting all the data emitted by the pedals. Heart rate monitor included.
EAN code: 8029975810119



CORPO IN ALLUMINO PRESSOFUSO (Die-Cast), garantisce alta resistenza e longevità

ASSE DEL PEDALE in Cr-Mo (cromo-molibdeno) con lavorazione CNC

CUSCINETTO: con Boccola LSL (Light Self-Lubricating) e Sigillato

ATTACCO (compatibile KEO) in materiale termoplastico, rinforzato con fibra di vetro e tensione regolabile

PROTOCOLLI DI COLLEGAMENTO: ANT+ / BLE 4.0. Consente il collegamento con tutti i devices compatibili con questi protocolli

APPLICAZIONE DI SUPPORTO: Ride for Life, tramite la quale è possibile operare lo "ZERO RESET" del pedale per garantire una perfetta calibrazione

PESO: 218g compreso di batteria

BATTERIA: CR2032, 3V

DURATA BATTERIA: Approssimativamente 100 ore

RESISTENZA ALL'ACQUA: IPX7

MISURA: 97.8mm x 92mm x 42.2mm

DIE-CAST ALUMINIUM BODY, ensuring high strength and longevity

PEDAL AXLE: CNC-machined Cr-Mo (chrome-molybdenum)

BEARING: with LSL bushing (Light Self-Lubricating) and Sealed

KEO CLEATS compatible. Made of thermoplastic material, reinforced with glass fibre and adjustable tension

CONNECTION PROTOCOLS: ANT+ / BLE 4.0. Allows connection with all devices compatible with these protocols

SUPPORTING APPLICATION: Ride for Life, through which you can perform the "ZERO RESET" of the pedal to ensure a perfect calibration

WEIGHT: 218g including battery

BATTERY: CR2032, 3V

BATTERY LIFE: Approx. 100 hours

WATER RESISTANCE: IPX7

DIMENSIONS: 97.8mm x 92mm x 42.2mm

- Misurazione Potenza Totale
- Misurazione media pedale destro e sinistro
- Misurazione indipendente pedale destro e sinistro
- Cadenza (RPM)
- Accuratezza misurazione watt +/- 2.0%
- Compatibilità nativa con ZWIFT
- ANT+ & BLE
- Calibrazione Pre-Attività (Zero Offset)
- Tacchette Keo System comprese
- APP user friendly
- Codice EAN: 8029975809748

- Total Power Measurement
- Average measurement Left and right pedal
- Independent measurement right and left pedal
- Cadence (RPM)
- Watt measurement accuracy +/- 2.0%
- Native compatibility with ZWIFT
- ANT+ & BLE
- Pre-Activity Calibration (Zero Offset)
- Keo System cleats included
- User friendly APP
- EAN code: 8029975809748



TX-POWER

POWER METER PEDALS SPD SYSTEM

COD. PMP-SPD



CORPO IN ALLUMINIO 6061

ASSE DEL PEDALE in Cr-Mo (cromo-molibdeno) con lavorazione CNC

CUSCINETTO: con Boccola LSL (Light Self-Lubricating) e Sigillato

ATTACCO (compatibile SPD) in materiale termoplastico, rinforzato con fibra di vetro e tensione regolabile

PROTOCOLLI DI COLLEGAMENTO: ANT+ / BLE 4.0. Consente il collegamento con tutti i devices compatibili con questi protocolli

APPLICAZIONE DI SUPPORTO: Ride for Life, tramite la quale è possibile operare lo "ZERO RESET" del pedale per garantire una perfetta calibrazione

PESO: 212g compreso di batteria

BATTERIA: CR2032, 3V

DURATA BATTERIA: Approssimativamente 100 ore

RESISTENZA ALL'ACQUA: IPX7

MISURA: 99.15mm x 57.60mm x 40.15mm

ALUMINIUM BODY: 6061

PEDAL AXLE: CNC-machined Cr-Mo (chrome-molybdenum)

BEARING: with LSL (Light Self-Lubricating) bushing and Sealed

LINKAGE (SPD compatible) made of thermoplastic material, reinforced with glass fibre and adjustable tension

CONNECTION PROTOCOLS: ANT+ / BLE 4.0. Allows connection with all devices compatible with these protocols

SUPPORTING APPLICATION: Ride for Life, through which you can perform the "ZERO RESET" of the pedal to ensure a perfect calibration

WEIGHT: 212g including battery

BATTERY: CR2032, 3V

BATTERY LIFE: Approx. 100 hours

WATER RESISTANCE: IPX7

MEASUREMENT: 99.15mm x 57.60mm x 40.15mm

SET TX-POWER SPD

COD. PMP-SPD-COMP

Il set comprende una coppia di power meter pedals SPD system e un ciclocomputer d'allenamento per indoor cycling, capace di rilevare tutti i dati emessi dai pedali. Fascia cardio inclusa.
Codice EAN: 8029975810126

The set includes a pair of SPD system power meter pedals and a training computer for indoor cycling, capable of detecting all the data emitted by the pedals. Heart rate monitor included.
EAN code: 8029975810126




- Misurazione Potenza Totale
- Misurazione media pedale destro e sinistro
- Misurazione indipendente pedale destro e sinistro
- Cadenza (RPM)
- Accuratezza misurazione watt +/- 2.0%
- Compatibilità nativa con ZWIFT
- ANT+ & BLE
- Calibrazione Pre-Attività (Zero Offset)
- Tacchette SPD comprese
- APP user friendly
- Codice EAN: 8029975809755

- Total power measurement
- Average measurement Left and right pedal
- Independent measurement right and left pedal
- Cadence (RPM)
- Watt measurement accuracy +/- 2.0%
- Native compatibility with ZWIFT
- ANT+ & BLE
- Pre-Activity Calibration (Zero Offset) SPD cleats included
- User friendly AP
- EAN code: 8029975809755




MOTION

COD. MOTION











MOTORE 1,75/2,75 (Peak) HP DC

VELOCITÀ 0,8 - 14,0 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 400 x 1210 mm - spessore 1,6 mm

SISTEMA AMMORTIZZANTE 4 elastomeri

INCLINAZIONE manuale su 3 livelli

RILEVAZIONE CARDIO hand pulse

CONSOLE 4 display LED bianchi
Informazioni: velocità, frequenza cardiaca, distanza, tempo, consumo calorico

PROGRAMMI 15 programmi presettati

DOTAZIONI supporto per smartphone/tablet.

MOTOR 1,75/2,75 (Peak) HP DC

SPEED 0,8 - 14,0 Km/h with 0,1 km/h increasing

RUNNING BOARD 400 x 1210 mm - belt thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 4 cushions

INCLINE manual with 3-level adjuster

HEART RATE hand pulse

CONSOLE 4 white LED diplays
Functions: speed, pulse, distance, time, calories

PROGRAMS 15 pre-set programs

EQUIPMENT smartphone/ tablet holder included


- Peso max utilizzatore: 100 kg
- Diametro rulli:anteriore ø42 mm - posteriore ø38 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1476x680x1170 mm
- Dimensioni chiuso: 760x680x1300 mm
- Dimensioni imballo: 1550x690x230 mm
- Peso netto/lordo: 43/48 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999722

- Max userweight: 100 kg
- Rollers size: front ø42 mm - rear ø38 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 1476x680x1170 mm
- Folded size: 760x680x1300 mm
- Packing size: 1550x690x230 mm
- Weight/ Gross weight: 43/48 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999722



MOTION PLUS

COD. MOTION-PLUS











MOTORE 1,75/2,75 (Peak) HP DC

VELOCITÀ 0,8 - 14,0 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 400 x 1210 mm - spessore 1,6 mm

SISTEMA AMMORTIZZANTE 4 elastomeri. Sistema Spring Absorption

INCLINAZIONE elettrica 12% su 15 livelli

RILEVAZIONE CARDIO hand pulse

CONSOLE 4 display LED bianchi
Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico

PROGRAMMI 15 programmi presettati

DOTAZIONI supporto per smartphone/tablet.

MOTOR 1,75/2,75 (Peak) HP DC

SPEED 0,8 - 14,0 Km/h with 0,1 km/h increasing

RUNNING BOARD 400 x 1210 mm - belt thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 4 cushions - Spring Absorption system

INCLINE 12% with 15-level motor incline

HEART RATE hand pulse

CONSOLE 4 white LED diplays
Functions: speed, incline, pulse, distance, time, calories

PROGRAMS 15 pre-set programs

EQUIPMENT smartphone/ tablet holder included

- Peso max utilizzatore: 100 kg
- Diametro rulli:anteriore ø42 mm - posteriore ø38 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1510x680x1200 mm
- Dimensioni chiuso: 900x680x1270 mm
- Dimensioni imballo: 1580x690x260 mm
- Peso netto/lordo: 47/54 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999739

- Max userweight: 100 kg
- Rollers size: front ø42 mm - rear ø38 mm
- Frame: lifetime warranty pre-assembled, nr. 2 moving wheels
- Dimensions: 1510x680x1200 mm
- Folded size: 900x680x1270 mm
- Packing size: 1580x690x260 mm
- Weight/ Gross weight: 47/54 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999739




RAMBLER

COD. RAMBLER

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap











MOTORE 2/3 (Peak) HP DC BRUSHLESS

VELOCITÀ 1,0 - 16,0 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 450x1320 mm - spessore 1,6 mm

SISTEMA AMMORTIZZANTE 6 elastomeri

INCLINAZIONE elettrica 10% su 15 livelli

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio Bluetooth integrato

CONSOLE display LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico

PROGRAMMI 1 manuale, 64 presettati, 3 HRC, 1 Body Fat Tester

DOTAZIONI supporto per smartphone/tablet.
APP READY 3.0 - Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 2/3 (Peak) HP DC BRUSHLESS

SPEED 1,0 - 16,0 Km/h with 0,1 km/h increasing

RUNNING BOARD 450x1320 mm - thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 6 cushions

INCLINE 10% with 15-level motor incline

HEART RATE hand pulse. Built-in wireless pulse receiver for Bluetooth chest belt

CONSOLE LED display white
Functions: speed, incline, pulse, distance, time, calories

PROGRAMS 1 manual, 64 pre-set, 3 HRC, 1 Body Fat Tester

EQUIPMENT smartphone/ tablet holder. APP READY 3.0 - Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)


- Peso max utilizzatore: 110 kg
- Diametro rulli:anteriore ø42 mm - posteriore ø42 mm
- Struttura: pre-assemblato 80% - nr. 2 ruote di trasporto
- Dimensioni: 1562x740x1220 mm
- Dimensioni chiuso: 910x740x1380 mm
- Dimensioni imballo: 1675x770x220 mm
- Peso netto/lordo: 53/60 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975810058

- Max userweight: 110 kg
- Rollers size: front ø42 mm - rear ø42 mm
- Frame: pre-assembled 80%, nr. 2 moving wheels
- Dimensions: 1562x740x1220 mm
- Folded size: 910x740x1380 mm
- Packing size: 1675x770x220 mm
- Weight/ Gross weight: 53/60 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975810058



TRX WALKER EVO

COD. TRX-WALKEREVO











MOTORE 2/3 (Peak) HP DC

VELOCITÀ 0,4 - 8,0 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 430 x 1270 mm - spessore nastro 1,6 mm

SISTEMA AMMORTIZZANTE 6 elastomeri

INCLINAZIONE Corrimani removibili per utilizzo del tapis roulant con inclinazione manuale su 3 livelli

RILEVAZIONE CARDIO hand pulse

CONSOLE display LCD 113x63 mm retro-illuminato blue backlight
Informazioni: velocità, frequenza cardiaca, distanza, tempo, consumo calorico, programma in esecuzione

PROGRAMMI 1 libero, 12 presettati, target: tempo, distanza, calorie

DOTAZIONI supporto per smartphone/tablet. Cintura di supporto lombare regolabile con velcro e moschettoni

MOTOR 2/3 (Peak) HP DC

SPEED 0,4 - 8,0 Km/h with 0,1 km/h increasing

RUNNING BOARD 430 x 1270 mm - belt thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 6 cushions

INCLINE Handrails can be removed to use the treadmill with 3-level manual incline

HEART RATE hand pulse

CONSOLE LCD display 113x63 mm blue backlight
Functions: speed, pulse, distance, time, calories, current working program

PROGRAMS 1 manual, 12 pre-set, target: time, distance, calories

EQUIPMENT smartphone/tablet holder included. Adjustable lumbar support belt with hooks and velcro included

- Peso max utilizzatore: 110 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø42 mm
- Struttura: pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1635x700x1315 mm
- Dimensioni chiuso: 1130x715x1400 mm con corrimani smontati
- Dimensioni imballo: 1690x760x290 mm
- Peso netto/lordo: 58/68 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975993751

- Max userweight: 110 kg
- Rollers size: front ø46 mm - rear ø42 mm
- Frame: pre-assembled, nr. 2 moving wheels
- Dimensions: 1635x700x1315 mm
- Folded size: 1130x715x1400 mm without handrails
- Packing size: 1690x760x290 mm
- Weight/ Gross weight: 58/68 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975993751




TRAVELLER

COD. TRAVELLER

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap











MOTORE 2,5/3,5 (Peak) HP DC

VELOCITÀ 1,0 - 18,0 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 470 x 1400 mm - spessore 1,6 mm

SISTEMA AMMORTIZZANTE 8 elastomeri

INCLINAZIONE elettrica 12% su 15 livelli

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio Bluetooth integrato

CONSOLE 5 display LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico

PROGRAMMI 1 manuale, 24 presettati, 3 user, 3 HRC, Body Fat Tester

DOTAZIONI supporto per smartphone/tablet
APP READY 3.0 - Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 2,5/3,5 (Peak) HP DC

SPEED 1,0 - 18,0 Km/h with 0,1 km/h increasing

RUNNING BOARD 470 x 1400 mm - thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 8 cushions

INCLINE 12% with 15-level motor incline

HEART RATE hand pulse. Built-in wireless pulse receiver for Bluetooth chest belt

CONSOLE LED 5 white displays
Functions: speed, incline, pulse, distance, time, calories

PROGRAMS 1 manual, 24 pre-set, 3 user, 3 HRC, Body Fat Tester

EQUIPMENT Smartphone/ tablet holder.
APP READY 3.0 - Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 120 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø42 mm
- Struttura: pre-assemblato 80% - nr. 2 ruote di trasporto
- Dimensioni: 1750x740x1200 mm
- Dimensioni chiuso: 1200x740x1440 mm
- Dimensioni imballo: 1790x765x295 mm
- Peso netto/lordo: 60,8/70 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975809724

- Max user weight: 120 kg
- Rollers size: front ø46 mm - rear ø42 mm
- Frame: pre-assembled 80%, nr. 2 moving wheels
- Dimensions: 1750x740x1200 mm
- Folded size: 1200x740x1440 mm
- Packing size: 1790x765x295 mm
- Weight/ Gross weight: 60,8/70 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975809724




VOYAGER

COD. VOYAGER

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH

DESIGN REGISTRATO
REGISTERED DESIGN











MOTORE 2,75/3,75 (Peak) HP DC - Garanzia 3 anni
VELOCITÀ 1,0 - 18,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 480 x 1410 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio optional
CONSOLE display LCD 157x96 mm retro-illuminato blue backlight. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, pace, programma in esecuzione. Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 libero, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/tablet. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 2,75/3,75 (Peak) HP DC - 3 years warranty
SPEED 1,0 - 18,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 480 x 1410 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt optional
CONSOLE LCD display 157x96 mm blue backlight Functions: speed, incline, pulse, distance, time, calories, step, pace, current working program. Cockpit with capacitive touch screen tecnology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/ tablet holder. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 120 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø46 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 2 ruote di trasporto
- Dimensioni: 1920x790x1390 mm
- Dimensioni chiuso: 1140x790x1650 mm
- Dimensioni imballo: 1960x870x380 mm
- Peso netto/lordo: 80/91 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805016

- Max userweight: 120 kg
- Rollers size: front ø46 mm - rear ø46 mm
- Frame: lifetime warranty, 80% pre-assembled, nr. 2 moving wheels
- Dimensions: 1920x790x1390 mm
- Folded size: 1140x790x1650 mm
- Packing size: 1960x870x380 mm
- Weight/ Gross weight: 80/91 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805016



VOYAGER PLUS

COD. VOYAGER-PLUS

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 3/4 (Peak) HP DC - Garanzia 3 anni

VELOCITÀ 1,0 - 20,0 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 480 x 1410 mm - spessore 1,6 mm

INCLINAZIONE elettrica 15% su 15 livelli

RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa

CONSOLE 5 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, pace, altitudine, programma in esecuzione. Plancia di comando con tecnologia touch screen capacitiva

PROGRAMMI 1 libero, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester

DOTAZIONI supporto per smartphone/tablet, casse acustiche Bluetooth. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3/4 (Peak) HP DC - 3 years warranty

SPEED 1,0 - 20,0 Km/h with 0,1 km/h increasing

RUNNING BOARD 480 x 1410 mm - belt thickness 1,6 mm

INCLINE 15% with 15-level motor incline

HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included

CONSOLE 5 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, step, pace, altitude, current working program. Cockpit with capacitive touch screen tecnology.

PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester

EQUIPMENT smartphone/ tablet holder, Bluetooth loudspeakers. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 120 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø46 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 2 ruote di trasporto
- Dimensioni: 1920x790x1390 mm
- Dimensioni chiuso: 1140x790x1650 mm
- Dimensioni imballo: 1960x870x380 mm
- Peso netto/lordo: 81/92 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805023

- Max userweight: 120 kg
- Rollers size: front ø46 mm - rear ø46 mm
- Frame: lifetime warranty, 80% pre-assembled, nr. 2 moving wheels
- Dimensions: 1920x790x1390 mm
- Folded size: 1140x790x1650 mm
- Packing size: 1960x870x380 mm
- Weight/ Gross weight: 81/92 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805023




TOORX
FITNESS IN MOTION

EXPERIENCE

COD. EXPERIENCE

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole+

DESIGN REGISTRATO
REGISTERED DESIGN











MOTORE 3,25/4,25 (Peak) HP DC - Garanzia 3 anni
VELOCITÀ 1,0 - 20,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 500 x 1460 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE display LCD 157x96 mm retro-illuminato blue backlight. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, pace, programma in esecuzione. Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 libero, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/tablet, casse acustiche Bluetooth. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3,25/4,25 (Peak) HP DC - 3 years warranty
SPEED 1,0 - 20,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 500 x 1460 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE LCD display 157x96 mm blue backlight Functions: speed, incline, pulse, distance, time, calories, step, pace, current working program. Cockpit with capacitive touch screen tecnology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 130 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø46 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 2 ruote di trasporto
- Dimensioni: 1960x830x1369 mm
- Dimensioni chiuso: 1070x830x1665 mm
- Dimensioni imballo: 2010x870x380 mm
- Peso netto/lordo: 74/82 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805030

- Max userweight: 130 kg
- Rollers size: front ø46 mm - rear ø46 mm
- Frame: lifetime warranty, 80% pre-assembled, nr. 2 moving wheels
- Dimensions: 1960x830x1369 mm
- Folded size: 1070x830x1665 mm
- Packing size: 2010x870x380 mm
- Weight/ Gross weight: 74/82 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805030



TOORX
FITNESS IN MOTION

EXPERIENCE PLUS

COD. EXPERIENCE-PLUS

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT · Kinomap · iconsole+

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 3,5/5 (Peak) HP DC - Garanzia 3 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 500 x 1510 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE 5 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, pace, altitudine, programma in esecuzione. Plancia di comando con tecnologia touch screen capacitiva.
PROGRAMMI 1 libero, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/tablet, casse acustiche Bluetooth. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3,5/5 (Peak) HP DC - 3 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 500 x 1510 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. TOORX chest belt included
CONSOLE 5 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, step, pace, altitude, current working program. Cockpit with capacitive touch screen tecnology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 130 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø46 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 2 ruote di trasporto
- Dimensioni: 1970x810x1390 mm
- Dimensioni chiuso: 1140x810x1700 mm
- Dimensioni imballo: 2050x870x380 mm
- Peso netto/lordo: 89/100 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805047

- Max userweight: 130 kg
- Rollers size: front ø46 mm - rear ø46 mm
- Frame: lifetime warranty, 80% pre-assembled, nr. 2 moving wheels
- Dimensions: 1970x810x1390 mm
- Folded size: 1140x810x1700 mm
- Packing size: 2050x870x380 mm
- Weight/ Gross weight: 89/100 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805047



TOURING 3.0

COD. TOURING-3.0

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT · Kinomap · iconsole+









MOTORE 3,50/5 (Peak) HP DC - Garanzia 3 anni
VELOCITÀ 0,8 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 530 x 1480 mm - spessore nastro 1,6 mm
SISTEMA AMMORTIZZANTE 14 elastomeri con sistema Air Cushion
INCLINAZIONE elettrica 12% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE display LCD 139x89 mm retro-illuminato blue backlight
Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, profilo velocità e inclinazione, programma in esecuzione, lap 400 metri.
PROGRAMMI 1 libero, 15 presettati, 3 user, 3 HRC, body fat tester
DOTAZIONI ventilatore. Ingresso audio per lettore MP3. Cavetto di prolunga in dotazione. Due casse acustiche stereo. Smartphone docking station - supporto per tablet. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor.Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3,50/5 (Peak) HP DC - 3 years warranty
SPEED 0,8 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 530 x 1480 mm - belt thickness 1,6 mm
SHOCK ABSORPTION SYSTEM 14 cushions - Multi Air Cushions
INCLINE 12% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. TOORX chest belt included
CONSOLE LCD display 139x89 mm blue backlight
Functions: speed, incline, pulse, distance, time, calories, speed and incline profile, current working program, lap 400 meters
PROGRAMS 1 manual 15 pre-set, 3 user, 3 HRC, body fat tester
EQUIPMENT Built-in air cooler. Audio input for MP3 player and stereo loudspeakers. Extension cable included. Smartphone docking station. Tablet holder included. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 130 kg
- Diametro rulli:anteriore ø60 mm - posteriore ø50 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1940x880x1450 mm
- Dimensioni chiuso: 1040x880x1620 mm
- Dimensioni imballo: 1950x910x380 mm
- Peso netto/lordo: 90/100 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805450

- Max userweight: 130 kg
- Rollers size: front ø60 mm - rear ø50 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 1940x880x1450 mm
- Folded size: 1040x880x1620 mm
- Packing size: 1950x910x380 mm
- Weight/ Gross weight: 90/100 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805450




TOORX
FITNESS IN MOTION

TRX MARATHON 3.0


TRX-MARATHON-3.0

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH











MOTORE 4/6 (Peak) HP DC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 530 x 1520 mm - spessore nastro 1,6 mm
SISTEMA AMMORTIZZANTE 12 elastomeri con sistema Air Cushion
INCLINAZIONE elettrica 13% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE display LCD 139x89 mm retro-illuminato blue backlight
Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, profilo velocità e inclinazione, programma in esecuzione
PROGRAMMI 1 libero, 16 presettati, 3 user, 3 HRC, body fat tester
DOTAZIONI ventilatore.Ingresso per lettore MP3 e casse acustiche a 2 vie. Supporto per smartphone/tablet. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor.Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/6 (Peak) HP DC - 5 years warranty
SPEED 1,0- 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 530 x 1520 mm - belt thickness 1,6 mm
SHOCK ABSORPTION SYSTEM 12 cushions - Multi Air Cushions
INCLINE 13% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver.
TOORX chest belt included
CONSOLE LCD display 139x89 mm blue backlight
Functions: speed, incline, pulse, distance, time, calories, speed and incline profile, current working program
PROGRAMS 1 manual, 16 pre-set, 3 user, 3 HRC, body fat tester
EQUIPMENT Built-in air cooler. Audio input for MP3 player and stereo loudspeakers. Smartphone/tablet holder included. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 140 kg
- Diametro rulli:anteriore ø60 mm - posteriore ø50 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 2030x860x1450 mm
- Dimensioni chiuso: 1120x860x1450 mm
- Dimensioni imballo: 1120x860x1689 mm
- Peso netto/lordo:103/113 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805436

- Max userweight: 140 kg
- Rollers size: front ø60 mm - rear ø50 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 2030x860x1450 mm
- Folded size: 1120x860x1450 mm
- Packing size: 1120x860x1689 mm
- Weight/ Gross weight:103/113 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805436



TOORX
FITNESS IN MOTION

EXPERIENCE PLUS TFT

COD. EXPERIENCE-PLUS-TFT

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT · Kinomap · iconsole+

HD TOUCH SCREEN

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 3,5/5 (Peak) HP DC - Garanzia 3 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 500 x 1510 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE TFT 10,1" HD touch screen. App pre-installate: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*. * Abbonamento non incluso. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, pace, altitudine, programma in esecuzione. Plancia di comando con tecnologia touch screen capacitiva.
PROGRAMMI 1 libero, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth. Connessione Wi-Fi. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3,5/5 (Peak) HP DC - 3 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 500 x 1510 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. TOORX chest belt included
CONSOLE 10,1" TFT HD touch screen. App pre-installed: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*. * Subscription not included. Functions: speed, incline, pulse, distance, time, calories, step, pace, altitude, current working program. Cockpit with capacitive touch screen tecnology.
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers. Wi-Fi connection. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 130 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø46 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1970x810x1390 mm
- Dimensioni chiuso: 1140x810x1700 mm
- Dimensioni imballo: 2050x870x380 mm
- Peso netto/lordo: 89/100 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805245

- Max userweight: 130 kg
- Rollers size: front ø46 mm - rear ø46 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 1970x810x1390 mm
- Folded size: 1140x810x1700 mm
- Packing size: 2050x870x380 mm
- Weight/ Gross weight: 89/100 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805245




EXPERIENCE PLUS AC

COD. EXPERIENCE-PLUS-AC

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

DESIGN REGISTRATO
REGISTERED DESIGN











MOTORE 3,5/5 (Peak) HP AC - Garanzia 5 anni
VELOCITÀ 1,0 - 20,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 500 x 1510 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE 5 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, pace, altitudine, programma in esecuzione. Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 libero, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi

MOTOR 3,5/5 (Peak) HP AC - 5 years warranty
SPEED 1,0 - 20,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 500 x 1510 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. TOORX chest belt included
CONSOLE 5 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, step, pace, altitude, current working program. Cockpit with capacitive touch screen tecnology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 130 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø46 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1970x810x1390 mm
- Dimensioni chiuso: 1140x810x1700 mm
- Dimensioni imballo: 2050x870x380 mm
- Peso netto/lordo: 89/100 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805054

- Max userweight: 130 kg
- Rollers size: front ø46 mm - rear ø46 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 1970x810x1390 mm
- Folded size: 1140x810x1700 mm
- Packing size: 2050x870x380 mm
- Weight/ Gross weight: 89/100 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805054




ALTITUDE

COD. ALTITUDE

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap





TOORX
FITNESS IN MOTION







MOTORE 4/7 HP DC (Peak) - garanzia 5 anni

VELOCITÀ Modalità Run: 0.8-18km/h. Modalità Climb: 0.8-6km/h. Incremento di 0,1 km/h

PIANO DI CORSA 460x1450 mm - spessore nastro 1,6 mm

INCLINAZIONE Modalità Run: elettrica -2% / 15% su 18 livelli. Modalità Climb: -2% / 40% su 43 livelli.

RILEVAZIONE CARDIO hand pulse Ricevitore Polar wireless per fascia cardio integrato. Fascia cardio TOORX inclusa

CONSOLE LCD display 169x68 mm mm retro-illuminato white backlight. Modalità Run: tempo, pace, inclinazione, calorie, velocità, frequenza cardiaca, distanza, step
Modalità Climb: tempo, pace, inclinazione, calorie, velocità, frequenza cardiaca, distanza, grafico di allenamento

PROGRAMMI Modalità Run: 1 manuale, 9 presettati, Interval, Lose weight, HRC, Bodyfat. Modalità Climb: 1 manuale, 6 presettati

DOTAZIONI supporto per smartphone/tablet, MP3.
APP READY 3.0 - Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/7 HP DC (Peak) - 5 years warranty

SPEED Run mode: 0.8-18km/h. Climb mode: 0.8-6km/h. 0,1 km/h increasing

RUNNING BOARD 460x1450 mm - belt thickness 1,6 mm

INCLINE Run mode: -2% / 15% with 18-level incline.
Climb mode: -2% / 40% with 43-level incline

HEART RATE hand pulse. built-in wireless pulse receiver.
Toorx chest belt included

CONSOLE LCD display 169x68 mm white backlight.
Run mode: time, pace, incline, calorie, speed, pulse, distance, steps
Climb mode: time, pace, incline, calorie, speed, pulse, distance, training graphic

PROGRAMS Run mode: 1 manual, 9 pre-set, Interval, Lose weight, HRC, Bodyfat. Climb mode: 1 manual, 6 pre-set

EQUIPMENT smartphone/tablet holder, MP3.
APP READY 3.0 - Built-in Bluetooth intelligent system.
Compatible with Zwift App and Kinomap fitness App (subscription not included).

- Peso max utilizzatore: 120 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø50 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 1640x828x1830 mm
- Dimensioni imballo: 1685x950x500 mm
- Peso netto/lordo: 100/117 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975806471

- Max userweight: 120 kg
- Rollers size: front ø46 mm - rear ø50 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 1640x828x1830 mm
- Packing size: 1685x950x500 mm
- Weight/ Gross weight: 100/117 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975806471



TOORX FITNESS IN MOTION

CHRONO LINE

TRX100 3.0

COD. TRX-100-3.0

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap iconsole+









MOTORE 4/7 (Peak) HP AC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 530 x 1510 mm - spessore nastro ortopedico 2,5 mm
INCLINAZIONE elettrica 13% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE display LCD 153x86 mm retro-illuminato blue backlight
Informazioni: velocità, pulse, distanza, tempo, inclinazione, consumo calorico, profilo velocità e inclinazione, programma in esecuzione, lap 400 metri
PROGRAMMI 1 libero, 16 presettati, 3 user, 3 HRC, body fat tester
DOTAZIONI/NOTE ventilatore. Ingresso per lettore MP3 e casse acustiche a 2 vie. Supporto per smartphone/ tablet.
APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional).
Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/7 (Peak) HP AC - 5 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 530 x 1510 mm - orthopedic belt thickness 2,5 mm
INCLINE 13% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver.
TOORXchest belt included
CONSOLE LCD display 153x86 mm blue backlight
Functions: speed, incline, pulse, distance, time, calories, speed and incline profile, current working program, lap 400 meters
PROGRAMS 1 manual, 16 pre-set, 3 user, 3 HRC, body fat tester
EQUIPMENT/NOTES Built-in air cooler. Audio input for MP3 player and stereo loudspeakers. Smartphone/ tablet holder included.
APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional).
Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 140 kg
- Diametro rulli:anteriore ø60 mm - posteriore ø50 mm
- Struttura: garanzia a vita, pre-assemblato - nr. 2 ruote di trasporto
- Dimensioni: 2030x860x1450 mm
- Dimensioni chiuso: 1120x860x1680 mm
- Dimensioni imballo: 2020x910x380 mm
- Peso netto/lordo: 105/113 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805443

- Max userweight: 140 kg
- Rollers size: front ø60 mm - rear ø50 mm
- Frame: lifetime warranty, pre-assembled, nr. 2 moving wheels
- Dimensions: 2030x860x1450 mm
- Folded size: 1120x860x1680 mm
- Packing size: 2020x910x380 mm
- Weight/ Gross weight: 105/113 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805443



MIRAGE S40

COD. MIRAGE-S40

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole+

DESIGN REGISTRATO
REGISTERED DESIGN










MOTORE 4/6 (Peak) HP DC - Garanzia 3 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 510 x 1480 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE 6 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace
Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth con griglia in metallo. Smart ring con comandi velocità e inclinazione. Ventilatore a 3 velocità con flusso d'aria regolabile. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/6 (Peak) HP DC - 3 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 510 x 1480 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 6 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 130 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 1940x910x1480 mm
- Dimensioni chiuso: 1095x910x1680 mm
- Dimensioni imballo: 2060x950x300 + 920x970x190 mm
- Peso netto/lordo: 101/116 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999968

- Max userweight: 130 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 1940x910x1480 mm
- Folded size: 1095x910x1680 mm
- Packing size: 2060x950x300 + 920x970x190 mm
- Weight/ Gross weight: 101/116 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999968



MIRAGE S60

COD. MIRAGE-S60

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 4/7 (Peak) HP DC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 540 x 1530 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE 6 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace
Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/tablet, casse acustiche Bluetooth con griglia in metallo. Smart ring con comandi velocità e inclinazione. Ventilatore a 3 velocità con flusso d'aria regolabile. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/7 (Peak) HP DC - 5 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 540 x 1530 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 6 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 150 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 1990x940x1480 mm
- Dimensioni chiuso: 1120x940x1480 mm
- Dimensioni imballo: 2110x980x300+ 920x1000x190 mm
- Peso netto/lordo: 106/121 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999982

- Max userweight: 150 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 1990x940x1480 mm
- Folded size: 1120x940x1480 mm
- Packing size: 2110x980x300+ 920x1000x190 mm
- Weight/ Gross weight: 106/121 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999982



MIRAGE S50

COD. MIRAGE-S50

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 3.50/5 (Peak) HP AC - Garanzia 5 anni
VELOCITÀ 1,0 - 20,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 510 x 1480 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE 6 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace
Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/tablet, casse acustiche Bluetooth con griglia in metallo. Smart ring con comandi velocità e inclinazione. Ventilatore a 3 velocità con flusso d'aria regolabile. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3.50/5 (Peak) HP AC - 5 years warranty
SPEED 1,0 - 20,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 510 x 1480 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 6 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow.
APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 140 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 1940x910x1480 mm
- Dimensioni chiuso: 1095x910x1680 mm
- Dimensioni imballo: 2060x950x300 + 920x970x190 mm
- Peso netto/lordo: 104/119 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999975

- Max userweight: 140 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 1940x910x1480 mm
- Folded size: 1095x910x1680 mm
- Packing size: 2060x950x300 + 920x970x190 mm
- Weight/ Gross weight: 104/119 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999975



MIRAGE S60 TFT

COD. MIRAGE-S60-TFT

TOORX FITNESS IN MOTION

MIRAGE

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT · Kinomap · iconsole+

HD TOUCH SCREEN

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 4/7 (Peak) HP DC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 540 x 1530 mm - spessore 1,6 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE TFT 10,1" HD touch screen. App pre-installate: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*. * Abbonamento non incluso. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace. Plancia di comando con tecnologiatouch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth congriglia in metallo. Smart ring con comandi velocità e inclinazione. Ventilator e a 3 velocità con flusso d'aria regolabile. Connessione Wi-Fi. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/7 (Peak) HP DC - 5 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 540 x 1530 mm - belt thickness 1,6 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 10,1" TFT HD touch screen. App pre-installed: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*. * Subscription not included. Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/ tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow. Wi-Fi connection. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 150 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 1990x940x1480 mm
- Dimensioni chiuso: 1120x860x1650 mm
- Dimensioni imballo: 2110x980x300 + 920x1000x190 mm
- Peso netto/lordo: 106/121 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805221

- Max userweight: 150 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 1990x940x1480 mm
- Folded size: 1120x860x1650 mm
- Packing size: 2110x980x300 + 920x1000x190 mm
- Weight/ Gross weight: 106/121 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805221



MIRAGE S70

COD. MIRAGE-S70

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 4/7 (Peak) HP AC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 540 x 1530 mm - spessore 2 mm prelubrificato
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE 6 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace
Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth con griglia in metallo. Smart ring con comandi velocità e inclinazione. Ventilatore a 3 velocità con flusso d'aria regolabile. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4/7 (Peak) HP AC - 5 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 540 x 1530 mm - prelubricated belt thickness 2 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 6 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/ tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 150 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 1990x940x1480 mm
- Dimensioni chiuso: 1120x940x1720 mm
- Dimensioni imballo: 2110x980x300 + 920x1000x190 mm
- Peso netto/lordo: 109/124 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999999

- Max userweight: 150 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 1990x940x1480 mm
- Folded size: 1120x940x1720 mm
- Packing size: 2110x980x300 + 920x1000x190 mm
- Weight/ Gross weight: 109/124 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999999



MIRAGE S80

COD. MIRAGE-S80

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

ZWIFT Kinomap iconsole+

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 4,5/7 (Peak) HP AC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 570 x 1600 mm - spessore 2,2 mm prelubrificato
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE 6 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace
Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth con griglia in metallo. Smart ring con comandi velocità e inclinazione. Ventilatore a 3 velocità con flusso d'aria regolabile. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4,5/7 (Peak) HP AC - 5 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 570 x 1600 mm - prelubricated belt thickness 2,2 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 6 white LED displays + 1 LED white display with diagram Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/ tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 160 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 2040x970x1480 mm
- Dimensioni chiuso: 1150x970x1760 mm
- Dimensioni imballo: 2160x1010x300 + 920x1030x190 mm
- Peso netto/lordo: 111/126 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805009

- Max userweight: 160 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 2040x970x1480 mm
- Folded size: 1150x970x1760 mm
- Packing size: 2160x1010x300 + 920x1030x190 mm
- Weight/ Gross weight: 111/126 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805009



MIRAGE S80 TFT

COD. MIRAGE-S80-TFT

APP READY 3.0

COMPATIBILE CON
COMPATIBLE WITH

HD TOUCH SCREEN

DESIGN REGISTRATO
REGISTERED DESIGN









MOTORE 4,5/7 (Peak) HP AC - Garanzia 5 anni
VELOCITÀ 1,0 - 22,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 570 x 1600 mm - spessore 2,2 mm prelubrificato
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio inclusa
CONSOLE TFT 15,6" HD touch screen. App pre-installate: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*. * Abbonamento non incluso. Informazioni: velocità, inclinazione, frequenza cardiaca, distanza, tempo, consumo calorico, step, altitudine, pace
Plancia di comando con tecnologia touch screen capacitiva
PROGRAMMI 1 manuale, 24 presettati, 4 target, 4 user, 4 HRC, Body fat tester
DOTAZIONI supporto per smartphone/tablet, casse acustiche Bluetooth con griglia in metallo. Smart ring con comandi velocità e inclinazione.Ventilatore a 3 velocità con flusso d'aria regolabile. Connessione Wi-Fi. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 4,5/7 (Peak) HP AC - 5 years warranty
SPEED 1,0 - 22,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 570 x 1600 mm - prelubricated belt thickness 2,2 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. Chest belt included
CONSOLE 15,6" TFT HD touch screen. App pre-installed: Chrome, Facebook, Twitter, Instagram, Youtube, Netflix*, Spotify*, Prime Video*. * Subscription not included. Functions: speed, incline, pulse, distance, time, calories, steps, altitude, pace. Cockpit with capacitive touch screen technology
PROGRAMS 1 manual, 24 pre-set, 4 target, 4 user, 4 HRC, Body Fat tester
EQUIPMENT smartphone/ tablet holder, Bluetooth loudspeakers with metal grid. Smart ring with speed and incline control. 3-speed air cooler with adjustable airflow. Wi-Fi connection. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 160 kg
- Diametro rulli:anteriore ø54 mm - posteriore ø54 mm
- Struttura: garanzia a vita, pre-assemblato 80% - nr. 4 ruote di trasporto
- Dimensioni: 2040x970x1480 mm
- Dimensioni chiuso: 1150x970x1760 mm
- Dimensioni imballo: 2160x1010x300 + 920x1030x190 mm
- Peso netto/lordo: 111/126 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805238


- Max userweight: 160 kg
- Rollers size: front ø54 mm - rear ø54 mm
- Frame: lifetime warranty,80% pre-assembled, nr. 4 moving wheels
- Dimensions: 2040x970x1480 mm
- Folded size: 1150x970x1760 mm
- Packing size: 2160x1010x300 + 920x1030x190 mm
- Weight/ Gross weight: 111/126 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805238

TOORX
FITNESS IN MOTION



TRX SMART COMPACT

COD. TRX-SMART-COMPACT













MOTORE 2/3 (Peak) HP DC

VELOCITÀ 1,0 - 14,0 Km/h con incremento di 0,5 km/h

PIANO DI CORSA 440 x 1230 mm - spessore nastro 1,6 mm

SISTEMA AMMORTIZZANTE 6 elastomeri

INCLINAZIONE manuale su 3 livelli

RILEVAZIONE CARDIO hand pulse

CONSOLE display LCD 98x46 mm retro-illuminato blue backlight
Informazioni: velocità, frequenza cardiaca,
distanza, tempo, consumo calorico, programma in esecuzione

PROGRAMMI 1 libero, 12 presettati per 3 livelli

DOTAZIONI chiusura facilitata. Supporto per smartphone/tablet

SALVASPAZIO 1620x790x370 mm

MOTOR 2/3 (Peak) HP DC

SPEED 1,0 - 14,0 Km/h with 0,5 km/h increasing

RUNNING BOARD 440 x 1230 mm - belt thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 6 cushions

INCLINE manual with 3-level adjuster

HEART RATE hand pulse

CONSOLE LCD display 98x46 mm blue backlight
Functions: speed, pulse, distance, time, calories, current working program

PROGRAMS 1 manual, 12 pre-set, body fat tester

EQUIPMENT user friendly folding system.
Smartphone/tablet holder included

SPACE SAVING 1620x790x370 mm

- Peso max utilizzatore: 100 kg
- Diametro rulli:anteriore ø46 mm - posteriore ø42 mm
- Struttura: garanzia a vita, ready2run - nr. 2 ruote di trasporto
- Dimensioni: 1680x790x1200 mm
- Dimensioni chiuso: 1620x790x370 mm
- Dimensioni imballo: 1685x845x290 mm
- Peso netto/lordo: 53,5/61 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975960548

- Max userweight: 100 kg
- Rollers size: front ø46 mm - rear ø42 mm
- Frame: lifetime warranty, ready2run - nr. 2 moving wheels
- Dimensions: 1680x790x1200 mm
- Folded size: 1620x790x370 mm
- Packing size: 1685x845x290 mm
- Weight/ Gross weight: 53,5/61 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975960548



TOORX
FITNESS IN MOTION
CHRONO LINE

TRX POWER COMPACT S

COD. TRX-PWR-COMPACTS

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap iconsole+











MOTORE 3,50/5 (Peak) HP DC - Garanzia 5 anni
VELOCITÀ 1,0 - 20,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 470 x 1320 mm - spessore nastro 2,0 mm
INCLINAZIONE elettrica 15% su 15 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE display LCD 164X72 mm retro-illuminato blue backlight
Informazioni: velocità, pulse, distanza, tempo, inclinazione, consumo calorico, lap 400 metri, programma in esecuzione
PROGRAMMI 1 libero, 14 presettati, 3 HRC, body fat tester
DOTAZIONI/NOTE Supporto per smartphone/tablet.
Casse acustiche Bluetooth. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)
SALVASPAZIO 1790x790x320 mm

MOTOR 3,50/5 (Peak) HP DC - 5 years warranty
SPEED 1,0 - 20,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 470 x 1320 mm - belt thickness 2,0 mm
INCLINE 15% with 15-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver.
TOORXchest belt included
CONSOLE LCD display 164X72 mm blue backlight
Functions: speed, incline, pulse, distance, time, calories, current working program, lap 400 meters
PROGRAMS 1 manual 14 pre-set, 3 HRC, body fat tester
EQUIPMENT/NOTES Audio input for MP3 player and stereo loudspeakers. Smartphone/tablet holder included.
APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional).
Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)
SPACE SAVING 1790x790x320 mm

- Peso max utilizzatore: 135 kg
- Diametro rulli:anteriore ø60 mm - posteriore ø60 mm
- Struttura: garanzia a vita, ready2run - nr. 2 ruote di trasporto
- Dimensioni: 1790x790x1450 mm
- Dimensioni chiuso: 320x790x1790 mm
- Dimensioni imballo: 1835x815x360 mm
- Peso netto/lordo: 92/102 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975996615


- Max userweight: 135 kg
- Rollers size: front ø60 mm - rear ø60 mm
- Frame: lifetime warranty, ready2run - nr. 2 moving wheels
- Dimensions: 1790x790x1450 mm
- Folded size: 320x790x1790 mm
- Packing size: 1835x815x360 mm
- Weight/ Gross weight: 92/102 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975996615



MIRAGE C60

COD. MIRAGE-C60-PB - PURE BRONZE
COD. MIRAGE-C60-W - PEARL WHITE
COD. MIRAGE-C60-R - ROSE GOLD
COD. MIRAGE-C60-B - FULL BLACK

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH
ZWIFT Kinomap i-console






Cod. MIRAGE-C60-W


Cod. MIRAGE-C60-R


Cod. MIRAGE-C60-B







MOTORE 3/4 (Peak) HP - Garanzia 3 anni
VELOCITÀ 1,0 - 18,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 480 x 1420 mm - spessore nastro 1,6 mm
INCLINAZIONE elettrica 12% su 12 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato
CONSOLE 5 display LED bianchi + 1 display con grafica a LED bianchi. Informazioni: velocità, inclinazione, pulse, distanza, tempo, calorie, pace, steps, altitudine
PROGRAMMI 1 manual, 24 presettati, Bodyfat, 4 users, 4HRC
DOTAZIONI supporto per smartphone/ tablet, casse acustiche Bluetooth.APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)

MOTOR 3/4 (Peak) HP - 3 years warranty
SPEED 1,0 - 18,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 480 x 1420 mm - belt thickness 1,6 mm
INCLINE 12% with 12-level motor incline
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato
CONSOLE 5 white LED displays + 1 LED white display with diagram. Functions: speed, incline, pulse, distance, time, calories, pace, steps, altitude
PROGRAMS 1 manual, 12 pre-set, Bodyfat, 4 user, 4 HRC
EQUIPMENT smartphone/tablet holder, Bluetooth loudspeakers. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included)

- Peso max utilizzatore: 120 kg
- Diametro rulli:anteriore ø66 mm - posteriore ø42 mm
- Struttura: garanzia a vita, ready2run - 2 ruote di trasporto + nr. 2 ruote per movimento trasversale
- Dimensioni: 1690x770x1410 mm
- Dimensioni chiuso: 1630x770x300 mm
- Dimensioni imballo: 1848x858x330 mm
- Peso netto/lordo: 69/82 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: Mirage-C60-B 8029975999852 - Mirage-C60-W 8029975999869 - Mirage-C60-R 8029975999876

- Max userweight: 120 kg
- Rollers size: front ø66 mm - rear ø42 mm
- Frame: lifetime warranty, ready2run, nr. 2 moving wheels + nr. 2 wheels for lateral movement
- Dimensions: 1690x770x1410 mm
- Folded size: 1630x770x300 mm
- Packing size: 1848x858x330 mm
- Weight/ Gross weight: 69/82 kg
- Compliances: CE-ROHS-EN957
- EAN code: Mirage-C60-B 8029975999852 - Mirage-C60-W 8029975999869 - Mirage-C60-R 8029975999876




MIRAGE C80

COD. MIRAGE-C80

APP READY 3.0
COMPATIBILE CON
COMPATIBLE WITH

BREVETTATO
PATENTED

DESIGN REGISTRATO
REGISTERED DESIGN













MOTORE 3,25/4,5 (Peak) HP- Garanzia 5 anni
VELOCITÀ 0,8 - 20,0 Km/h con incremento di 0,1 km/h
PIANO DI CORSA 480 x 1380 mm - spessore nastro 1,6 mm
INCLINAZIONE elettrica 12% su 12 livelli
RILEVAZIONE CARDIO hand pulse. Ricevitore wireless per fascia cardio integrato. Fascia cardio TOORX inclusa
CONSOLE 5 display LED bianchi.
Informazioni: pulse, distanza, inclinazione, altitudine, tempo, steps, pace, velocità, consumo calorico
PROGRAMMI 1 manuale, 24 presettati (Training, Fat burn, Endurance, Hill), 3 user, 4 HRC
DOTAZIONI chiusura facilitata. Supporto per smartphone/ tablet rimovibile), porta bottiglie rimovibile, casse acustiche Bluetooth. Smart ring con comandi velocità e inclinazione. APP READY 3.0 - Ingresso USB per TRX APP GATE 3.0 (optional). Sistema Bluetooth intelligente che consente di usufruire di app per l'allenamento outdoor. Include iConsole+ Training App. Compatibile con Zwift App e Kinomap fitness App (abbonamenti non inclusi)
SALVASPAZIO 1770x800x297 mm

MOTOR 3,25/4,5 (Peak) HP - 5 years warranty
SPEED 0,8 - 20,0 Km/h with 0,1 km/h increasing
RUNNING BOARD 480 x 1380 mm - beltthickness 1,6 mm
INCLINE 12% with 12-level motor incline
HEART RATE hand pulse. Built-in wireless pulse receiver. TOORXchest belt included
CONSOLE 5 white LED displays. Functions: pulse, distance, incline, altitude, time, steps, pace, speed, calories
PROGRAMS 1 manual, 24 preset (Training, Fat burn, Endurance, Hill), 3 user, 4 HRC
EQUIPMENT user friendly folding system. Removable smartphone/ tablet holder,removable bottle holder, Bluetooth loudspeakers. Smart ring with speed and incline control. APP READY 3.0 - USB door for TRX APP GATE 3.0 (optional). Updated Bluetooth intelligent system which enables your treadmill to fully interact with the most motivating Apps specifically suitable for treadmill training. Includes iConsole+ Training App. Compatible with Zwift App, Kinomap fitness App (subscriptions not included
SPACE SAVING 1770x800x297 mm

- Peso max utilizzatore: 120 kg
- Diametro rulli:anteriore ø48 mm - posteriore ø42 mm
- Struttura: garanzia a vita, ready2run - 2 ruote di trasporto + nr. 2 ruote per movimento trasversale
- Dimensioni: 1770x800x1415 mm
- Dimensioni chiuso: 1770x800x297 mm
- Dimensioni imballo: 1848x858x325 mm
- Peso netto/lordo: 81/89 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975999593


- Max userweight: 120 kg
- Rollers size: front ø48 mm - rear ø42 mm
- Frame: lifetime warranty, ready2run, nr. 2 moving wheels + nr. 2 wheels for lateral movement
- Dimensions: 1770x800x1415 mm
- Folded size: 1770x800x297 mm
- Packing size: 1848x858x325 mm
- Weight/ Gross weight: 81/89 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975999593



STREET COMPACT

COD. STREET-COMPACT

BREVETTATO
PATENTED














107

MOTORE 1,75/2,75 (Peak) HP DC

VELOCITÀ 0,8 - 10 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 460 x 1200 mm - spessore nastro 1,6 mm

SISTEMA AMMORTIZZANTE 4 elastomeri

CONSOLE 4 display a LED bianchi 39x14 mm
Informazioni: velocità, distanza, tempo, consumo calorico

PROGRAMMI 1 libero, 12 presettati

DOTAZIONI corrimani di sicurezza removibili. Kit fissaggio a muro - per riporre il tapis roulant verticalmente in sicurezza

ULTRA COMPACT spessore 10 cm

MOTOR 1,75/2,75 (Peak) HP DC

SPEED 0,8 - 10 Km/h with 0,1 km/h increasing

RUNNING BOARD 460 x 1200 mm - belt thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 4 cushions

CONSOLE 4 LED white display 39x14 mm
Functions: speed, distance, time, calories

PROGRAMS 1 manual, 12 pre-set

EQUIPMENT removable safety handlebars included.
Wall fixing system to safely vertically store the treadmill

ULTRA COMPACT thickness 10 cm

- Peso max utilizzatore: 100 kg
- Diametro rulli:anteriore ø38 mm - posteriore ø38 mm
- Struttura: ready2run, nr. 2 ruote di trasporto
- Dimensioni: 1440x770*x1100 mm *con corrimani montati
- Dimensioni chiuso: 1550x700x100 mm
- Dimensioni imballo: 1640x765x130 mm
- Peso netto/lordo: 30/35 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975996653

- Max userweight: 100 kg
- Rollers size: front ø38 mm - rear ø38 mm
- Frame: ready2run, nr. 2 moving wheels
- Dimensions: 1440x770*x1100 mm *with handlebars
- Folded size: 1550x700x100 mm
- Packing size: 1640x765x130 mm
- Weight/ Gross weight: 30/35 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975996653




WalkingPad

COD. WP-G

BREVETTATO
PATENTED













MOTORE 1/2 (Peak) HP DC

VELOCITÀ 0,5 - 6,0 Km/h con incremento di 0,5 km/h

PIANO DI CORSA 430 x 1200 mm - spessore nastro 1,4 mm accoppiato a membrana in poliestere ad alta densità con superficie ultra liscia

SISTEMA AMMORTIZZANTE strato in foam gel ammortizzante

DISPLAY a LED retro-illuminato white backlight incorporato a scomparsa sotto alla superficie del pannello copri motore. Informazioni: tempo, velocità, distanza, calorie, passi

DOTAZIONI Modalità di allenamento automatico e manuale. App WalkingPad, consente di impostare preferenze personalizzate, registrare i dati di allenamento e comandare WalkingPad. Colore mineral grey e tecnologia IML (In Mold Labeling)

ULTRA COMPACT spessore 12,9 cm

MOTOR 1/2 (Peak) HP DC

SPEED 0,5 - 6,0 Km/h with 0,5 km/h increasing

RUNNING BOARD 430 x 1200 mm - belt thickness 1,4 mm with HD polyester membrane ultra smooth surface

SHOCK ABSORPTION SYSTEM cushioning foam gel layer

DISPLAY white display embedded behind the motor panel surface. Functions: speed, distance, time, calories, steps

EQUIPMENT automatic training mode. WalkingPad App allows to set customized preferences, record workout data and control WalkingPad. Mineral grey colour and IML t echnology (In Mold Labeling)

ULTRA COMPACT thickness 12,9 cm

- Peso max utilizzatore: 100 kg
- Diametro rulli:anteriore ø36 mm - posteriore ø36 mm
- Struttura: ready2run, telaio in lega, nr. 2 ruote di trasporto
- Dimensioni: 1432x547x129 mm
- Dimensioni chiuso: 822x547x129 mm – double fold system
- Dimensioni imballo: 900x640x195 mm
- Peso netto/lordo: 28/31 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975998374


- Max userweight: 100 kg
- Rollers size: front ø36 mm - rear ø36 mm
- Frame: ready2run, cast alluminium alloy frame, nr. 2 moving wheels
- Dimensions: 1432x547x129 mm
- Folded size: 822x547x129 mm – double fold system
- Packing size: 900x640x195 mm
- Weight/ Gross weight: 28/31 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975998374



CITY COMPACT

COD. CITY-COMPACT-B - PURE BRONZE
COD. CITY-COMPACT-W - PEARL WHITE
COD. CITY-COMPACT-R - ROSE GOLD

BREVETTATO
PATENTED





Cod. CITY-COMPACT-B



Cod. CITY-COMPACT-W



Cod. CITY-COMPACT-R







MOTORE 1,75/2,75 (Peak) HP DC

VELOCITÀ 1 - 14 Km/h con incremento di 0,1 km/h

PIANO DI CORSA 445 x 1250 mm - spessore nastro 1,6 mm

SISTEMA AMMORTIZZANTE 6 elastomeri

CONSOLE display LCD 88X19 mm retro-illuminato blu backlight
Informazioni: velocità, distanza/ steps, tempo, consumo calorico

DOTAZIONI Corrimani di sicurezza removibili.
Disponibile nei colori pure bronze, pearl white e rose gold

ULTRA COMPACT spessore 13,8 cm

MOTOR 1,75/2,75 (Peak) HP DC

SPEED 1 - 14 Km/h with 0,1 km/h increasing

RUNNING BOARD 445 x 1250 mm belt thickness 1,6 mm

SHOCK ABSORPTION SYSTEM 6 cushions

CONSOLE LCD display 88X19 mm
Functions: speed, distance/steps, time, calories

EQUIPMENT removable safety handlebars included.
Available in pure bronze, pearl white and rose gold colours

ULTRA COMPACT thickness 13,8 cm

- Peso max utilizzatore: 100 kg
- Diametro rulli:anteriore ø42 mm - posteriore ø42 mm
- Struttura: ready2run, nr. 2 ruote di trasporto + nr. 2 ruote per movimento trasversale
- Dimensioni: 1515x740*x980 mm. *con corrimani montati
- Dimensioni chiuso: 1620x740x138 mm
- Dimensioni imballo: 1645x800x165 mm
- Peso netto/lordo: 36/42 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: CITY-COMPACT-B 8029975998954 - CITY-COMPACT-W 8029975998732 - CITY-COMPACT-R 8029975998725

- Max userweight: 100 kg
- Rollers size: front ø42 mm - rear ø42 mm
- Frame: ready2run, nr. 2 moving wheels + nr. 2 wheels forlateral movement
- Dimensions: 1515x740*x980 mm. *with handlebars
- Folded size: 1620x740x138 mm
- Packing size: 1645x800x165 mm
- Weight/ Gross weight: 36/42 kg
- Compliances: CE-ROHS-EN957
- EAN code: CITY-COMPACT-B 8029975998954 - CITY-COMPACT-W 8029975998732 - CITY-COMPACT-R 8029975998725



STEPPER FORCE

COD. STEPPER-FORCE









SISTEMA DI FRENAGGIO pistoni idraulici regolabili su 12 livelli
REGOLAZIONE SFORZO su 12 livelli
PESO MASSIMO UTILIZZATORE 120 Kg
DOTAZIONI/NOTE: salvaspazio

BRAKING SYSTEM 12 sections adjustable shocks
RESISTANCE ADJUSTMENT 12-level tension control
MAX USER WEIGHT 120 Kg
EQUIPMENT/NOTES: space saving

- Pedane: antiscivolo
- Dimensioni: 800x620x1400 mm
- Dimensioni chiuso: 620x270x1520 mm
- Dimensioni imballo: 820x500x210 mm
- Peso netto/lordo: 22/24 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975951461


- Foot plates: non slip
- Dimensions: 800x620x1400 mm
- Folded size: 620x270x1520 mm
- Packing size: 820x500x210 mm
- Weight/ Gross weight: 22/24 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975951461



ROWER COMPACT

COD. ROWER-COMPACT











SISTEMA DI FRENAGGIO pistone idraulico regolabile su 4 livelli

CONSOLE con display LCD - Informazioni: numero vogate/min e totali, calorie, tempo, scan

DOTAZIONI/NOTE salvaspazio

BRAKING SYSTEM 4 sections adjustable shock

CONSOLE LCD display - Functions: count/min, total count, calories, time, scan

EQUIPMENT /NOTES space saving

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: con cinturino fermapiede
- Peso massimo utilizzatore: 100 Kg
- Dimensioni: 1340x590x605 mm
- Dimensioni chiuso: 645x590x1340 mm
- Dimensioni imballo: 1355x280x185 mm
- Peso netto/lordo: 15/17 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975990026

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: with straps
- Max user weight: 100 Kg
- Dimensions: 1340x590x605 mm
- Folded size: 645x590x1340 mm
- Packing size: 1355x280x185 mm
- Weight/ Gross weight: 15/17 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975990026



ROWER MASTER

COD. ROWER-MASTER









SISTEMA DI FRENAGGIO pistoni idraulici regolabili su 12 livelli

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD - Informazioni: numero vogate, numero vogate/min e totali, calorie, tempo, scan, distanza, pulse

DOTAZIONI/NOTE salvaspazio. Binario inclinazione regolabile su 3 livelli

BRAKING SYSTEM 12 sections adjustable shock

HEART RATE built-in wireless pulse receiver

CONSOLE LCD display - Functions: count/min, total count, calories, time, scan, distance, pulse

EQUIPMENT /NOTES space saving. Rail with 3-level incline adjuster

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: regolazione inclinazione - regolazione distanza sedile /poggiapiedi su 10 livelli
- Peso massimo utilizzatore: 130 Kg
- Dimensioni: 1460x1740/1180 x450 mm
- Dimensioni chiuso: 1190x600x310 mm
- Dimensioni imballo: 1070x525x170 mm
- Peso netto/lordo: 26/29 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975996660

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: incline adjuster - seat/ pedals distance adjustable on 10-level
- Max user weight: 130 Kg
- Dimensions: 1460x1740/1180 x450 mm
- Folded size: 1190x600x310 mm
- Packing size: 1070x525x170 mm
- Weight/ Gross weight: 26/29 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975996660



ROWER ACTIVE

COD. ROWER-ACTIVE











SISTEMA DI FRENAGGIO magnetico regolabile su 8 livelli

MASSA VOLANICA peso 5 kg

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD - Informazioni: numero vogate/min e totali, calorie, tempo, distanza, pulse

DOTAZIONI/NOTE salvaspazio

BRAKING SYSTEM magnetic with 8-level resistance adjuster

FLYWHEEL SYSTEM 5 kg

HEART RATE built-in wireless pulse receiver

CONSOLE with LCD display - Functions: strokes/ min, total strokes, calories, time, distance, pulse

EQUIPMENT /NOTES space saving

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: con cinturino fermapiede
- Peso massimo utilizzatore: 100 Kg
- Dimensioni: 1525x775x558 mm
- Dimensioni chiuso: 770x558x1525 mm
- Dimensioni imballo: 1450x450x190 mm
- Peso netto/lordo: 18,3/20,3 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975993959

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: with straps
- Max user weight: 100 Kg
- Dimensions: 1525x775x558 mm
- Folded size: 770x558x1525 mm
- Packing size: 1450x450x190 mm
- Weight/ Gross weight: 18,3/20,3 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975993959



TOORX
FITNESS IN MOTION

ROWER ACTIVE PRO

COD. ROWER-ACTIVE-PRO











SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 6 kg

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD retro-illuminato blue backlight - Informazioni: numero vogate/min e totali, calorie, tempo, distanza, pulse, 9 programmi presettati, 4 user

DOTAZIONI/NOTE salvaspazio

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 6 kg

HEART RATE built-in wireless pulse receiver

CONSOLE with LCD display blue backlight - Functions: strokes/ min, total strokes, calories, time, distance, pulse, 9 pre-set, 4 user

EQUIPMENT /NOTES space saving

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: con cinturino fermapiede
- Peso massimo utilizzatore: 100 Kg
- Dimensioni: 1525x775x558 mm
- Dimensioni chiuso: 770x558x1525 mm
- Dimensioni imballo: 1450x450x190 mm
- Peso netto/lordo: 19/21 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975993966

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: with straps
- Max user weight: 100 Kg
- Dimensions: 1525x775x558 mm
- Folded size: 770x558x1525 mm
- Packing size: 1450x450x190 mm
- Weight/ Gross weight: 19/21 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975993966



ROWER SEA 70

COD. ROWER-SEA-70











SISTEMA DI RESISTENZA idraulico progettato per simulare la dinamica di una barca in movimento sull'acqua

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD - Informazioni: numero vogate/min e totali, calorie, tempo, distanza, scan

DOTAZIONI/NOTE Supporto per smartphone/ tablet. Salvaspazio

RESISTANCE SYSTEM hidraulic studied to simulate the dynamic of a boat moving onto the water

HEART RATE built-in wireless pulse receiver

CONSOLE with LCD display - Functions: strokes/min and total, calories, time, distance, scan

EQUIPMENT /NOTES Smartphone/tablet holder. Space saving

- Sedile vogatore: a rulli con cuscinetti a sfera
- Poggiapiedi: regolazione inclinazione - ergonomici con cinturino fermapiede
- Peso massimo utilizzatore: 130 Kg
- Dimensioni: 1860x440x1035 mm
- Dimensioni chiuso: 800x440x1860 mm
- Dimensioni imballo: 980x455x420 mm
- Peso netto/lordo: 26/29,5 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805290

- Seat: roller seat with ball bearings sliding
- Pedals: incline adjuster -ergonomic with straps
- Max user weight: 130 Kg
- Dimensions: 1860x440x1035 mm
- Folded size: 800x440x1860 mm
- Packing size: 980x455x420 mm
- Weight/ Gross weight: 26/29,5 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805290



ROWER SEA 90

COD. ROWER-SEA-90

APP READY











SISTEMA DI RESISTENZA idraulico progettato per simulare la dinamica di una barca in movimento sull'acqua

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio integrato

CONSOLE con display LCD - Informazioni: numero vogate, calorie, tempo, tempo/500M, SPM, distanza, pulse

PROGRAMMI Quick, Target goals, Race

DOTAZIONI/NOTE salvaspazio. App Ready: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App (abbonamento non incluso). Supporto per smartphone/ tablet

RESISTANCE SYSTEM hidraulic studied to simulate the dynamic of a boat moving onto the water

HEART RATE built-in wireless pulse receiver


CONSOLE with LCD display - Functions: time, time/500M, SPM, distance, strokes, calories, pulse

PROGRAMS Quick, Target goals, Race

EQUIPMENT /NOTES space saving. App Ready: Built-in Bluetooth intelligent system which enables your rower to fully interact with the most motivating Apps specifically suitable for training. Compatible with Kinomap fitness App (subscription not included). Smartphone/ tablet holder

- Sedile vogatore: a rulli con cuscinetti a sfera
- Poggiapiedi: regolazione inclinazione - ergonomici con cinturino fermapiede
- Peso massimo utilizzatore: 130 Kg
- Dimensioni: 2035x518x1035 mm
- Dimensioni chiuso: 800x518x2035 mm
- Dimensioni imballo: 1100x540x455 mm
- Peso netto/lordo: 32/36 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805283

- Seat: roller seat with ball bearings sliding
- Pedals: incline adjuster -ergonomic with straps
- Max user weight: 130 Kg
- Dimensions: 2035x518x1035 mm
- Folded size: 800x518x2035 mm
- Packing size: 1100x540x455 mm
- Weight/ Gross weight: 32/36 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805283



ROWER CRAFT

COD. ROWER-CRAFT-ASH

APP READY









SISTEMA DI RESISTENZA idraulico progettato per simulare la dinamica di una barca in movimento sull'acqua

RILEVAZIONE CARDIO ricevitore wireless per fascia cardio Bluetooth e 5.3khz integrato

CONSOLE con display LCD. Informazioni: numero vogate, calorie, tempo, tempo/500M, SPM, distanza, pulse

PROGRAMMI Quick, Target goals, Race

DOTAZIONI/NOTE salvaspazio. App Ready: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App (abbonamento non incluso). Supporto per smartphone/ tablet

RESISTANCE SYSTEM hidraulic studied to simulate the dynamic of a boat moving onto the water

HEART RATE built-in wireless pulse receiver for Bluetooth and 5.3khz chest belts

CONSOLE with LCD display - Functions: time, time/500M, SPM, distance, strokes, calories, pulse

PROGRAMS Quick, Target goals, Race

EQUIPMENT /NOTES space saving. App Ready: Built-in Bluetooth intelligent system which enables your rower to fully interact with the most motivating Apps specifically suitable for training. Compatible with Kinomap fitness App (subscription not included). Smartphone/ tablet holder

- Sedile vogatore: a rulli con cuscinetti a sfera
- Poggiapiedi: ergonomici con cinturino fermapiede
- Peso massimo utilizzatore: 150 Kg
- Struttura in legno di frassino naturale
- Dimensioni: 2165x540x515 mm
- Dimensioni chiuso: 515x540x2165 mm
- Dimensioni imballo: 730x600x570 + 2215x170x130 mm
- Peso netto/lordo: 30/37 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975809540

- Seat: roller seat with ball bearings sliding
- Pedals: ergonomic with straps
- Max user weight: 150 Kg
- Structure: natural ash wood
- Dimensions: 2165x540x515 mm
- Folded size: 515x540x2165 mm
- Packing size: 730x600x570 + 2215x170x130 mm
- Weight/ Gross weight: 30/37 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975809540



RWX200

COD. RWX-200











SISTEMA DI FRENAGGIO ad aria e magnetico con regolazione manuale dello sforzo per un movimento estremamente fluido e scorrevole. La resistenza ad aria è stata progettata per simulare la sensazione di remare in acqua

MASSA VOLANICA magnetico (peso 5 kg) + sistema ad aria

RILEVAZIONE CARDIO ricevitore wireless integrato

CONSOLE display LCD - supporto per smartphone e tablet
Informazioni: numero vogate/min e totali, calorie, tempo, distanza, pulse, scan

DOTAZIONI/NOTE Supporto per smartphone/ tablet. Salvaspazio

BRAKING SYSTEM air and magnetic resistance with manual adjuster for a very smooth and intense rowing experience. The air resistance has been specifically studied to simulate the water rowing feeling

FLYWHEEL SYSTEM magnetic (5 Kg) + air flywheel

HEART RATE Built-in wireless pulse receiver

CONSOLE LCD display - smartphone/ tablet holder
Functions: strokes/min, total strokes, calories, time, distance, pulse, scan

EQUIPMENT /NOTES Smartphone/tablet holder. Space saving

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: ergonomici con lunghezza regolabile. Con cinturino fermapiede
- Peso massimo utilizzatore: 120 Kg
- Dimensioni: 1810x500x880 mm
- Dimensioni chiuso: 880x500x1810 mm
- Dimensioni imballo: 1180x230x670 mm
- Peso netto/lordo: 28/33 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805641

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: ergonomic with length adjuster - with straps
- Max user weight: 120 Kg
- Dimensions: 1810x500x880 mm
- Folded size: 880x500x1810 mm
- Packing size: 1180x230x670 mm
- Weight/ Gross weight: 28/33 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805641



RWX300

COD. RWX-300

APP READY











SISTEMA DI FRENAGGIO ad aria e magnetico con regolazione elettronica dello sforzo per un movimento estremamente fluido e scorrevole. La resistenza ad aria è stata progettata per simulare la sensazione di remare in acqua

MASSA VOLANICA magnetico (peso 5 kg) + sistema ad aria

RILEVAZIONE CARDIO ricevitore wireless integrato.

CONSOLE LCD display blue backlight - supporto per smartphone/ tablet . Informazioni: numero vogate/min e totali, calorie, tempo, distanza, pulse, 500/TM, watt

PROGRAMMI manuale, race, 12 pre-set, user, Recovery, 4 HRC

DOTAZIONI/NOTE salvaspazio. App Ready: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App (abbonamento non incluso). Supporto per smartphone/ tablet

BRAKING SYSTEM air and magnetic resistance with motorized adjuster for a very smooth and intense rowing experience. The air resistancehas been specifically studied to simulate the water rowingfeeling

FLYWHEEL SYSTEM magnetic (5 Kg) + air flywheel

HEART RATE Built-in wireless pulse receiver

CONSOLE LCD display blue backlight - smartphone/ tablet holder. Functions: strokes/min, total strokes, calories, time, distance, pulse, 500/TM, watt

PROGRAMS manual, race, 12 pre-set, user, Recovery, 4 HRC

EQUIPMENT /NOTES space saving. App Ready: Built-in Bluetooth intelligent system which enables your roeiwer to fully interact with the most motivating Apps specifically suitable for training. Compatible with Kinomap fitness App (subscription not included). Smartphone/ tablet holder

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: ergonomici con lunghezza regolabile. Con cinturino fermapiede
- Peso massimo utilizzatore: 120 Kg
- Dimensioni: 1810x500x880 mm
- Dimensioni chiuso: 880x500x1810 mm
- Dimensioni imballo: 1180x230x670 mm
- Peso netto/lordo: 27/32 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975805634

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: ergonomic with length adjuster - with straps
- Max user weight: 120 Kg
- Dimensions: 1810x500x880 mm
- Folded size: 880x500x1810 mm
- Packing size: 1180x230x670 mm
- Weight/ Gross weight: 27/32 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975805634



RWX500

COD. RWX-500











SISTEMA DI FRENAGGIO magnetico con regolazione elettronica dello sforzo su 16 livelli

MASSA VOLANICA peso 9 kg

RILEVAZIONE CARDIO ricevitore wireless integrato.

CONSOLE con display LCD - blue backlight - supporto per smartphone e tablet in dotazione. Informazioni: numero vogate/ min e totali, calorie, tempo, distanza, pulse, 500/TM, watt

PROGRAMMI manuale, race, 12 programmi presettati, U1-U4 user, 4 HRC

DOTAZIONI/NOTE salvaspazio

BRAKING SYSTEM magnetic with 16-level electronic resistance adjuster

FLYWHEEL SYSTEM 9 kg

HEART RATE Built-in wireless pulse receiver.

CONSOLE blue backlight LCD display - smartphone/tablet holder included. Functions: strokes/min, total strokes, calories, time, distance, pulse, 500/TM, watt

PROGRAMS manual, race, 12 pre-set, U1-U4 user, 4 HRC

EQUIPMENT/NOTES foldable

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: ergonomici con cinturino fermapiede
- Peso massimo utilizzatore: 130 Kg
- Dimensioni: 2220x510x975 mm
- Dimensioni chiuso: 960x510x1515 mm
- Dimensioni imballo: 1340x235x650 mm
- Peso netto/lordo: 33/39 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975995144

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: ergonomic with straps
- Max user weight: 130 Kg
- Dimensions: 2220x510x975 mm
- Folded size: 960x510x1515 mm
- Packing size: 1340x235x650 mm
- Weight/ Gross weight: 33/39 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975995144

TOORX
FITNESS IN MOTION
CHRONO LINE

RWX700

COD. RWX-700



APP READY











SISTEMA DI FRENAGGIO ad aria e magnetico con regolazione elettronica dello sforzo su 16 livelli per un movimento estremamente fluido e scorrevole. La resistenza ad aria è stata progettata per simulare la sensazione di remare in acqua

MASSA VOLANICA magnetico peso 9 kg + sistema ad aria

RILEVAZIONE CARDIO ricevitore wireless integrato.

CONSOLE con display LCD - blue backlight - supporto per smartphone e tablet in dotazione Informazioni: numero vogate/min e totali, calorie, tempo, distanza, pulse, 500/TM, watt

PROGRAMMI manuale, race, 12 programmi presettati, U1-U4 user, 4 HRC

DOTAZIONI/NOTE salvaspazio. App Ready: sistema Bluetooth intelligente integrato che consente di usufruire di app specifiche per l'allenamento. Compatibile con Kinomap fitness App (abbonamento non incluso). Supporto per smartphone/ tablet

BRAKING SYSTEM air and magnetic resistance with 16-level electronic resistance adjuster for a very smooth and intense rowing experience. The air resistance has been specifically studied to simulate the water rowing feeling

FLYWHEEL SYSTEM magnetic (9 Kg) + air flywheel

HEART RATE Built-in wireless pulse receiver.

CONSOLE blue backlight LCD display - smartphone/tablet holder included. Functions: strokes/min, total strokes, calories, time, distance, pulse, 500/TM, watt

PROGRAMS manual, race, 12 pre-set, U1- U4 user, 4 HRC

EQUIPMENT/NOTES space saving. App Ready: Built-in Bluetooth intelligent system which enables your roeiwer to fully interact with the most motivating Apps specifically suitable for training. Compatible with Kinomap fitness App (subscription not included). Smartphone/ tablet holder

- Sedile vogatore: a rulli con cuscinetti a sfera su binario in alluminio
- Poggiapiedi: ergonomici con lunghezza regolabile. Con cinturino fermapiede
- Peso massimo utilizzatore: 150 Kg
- Dimensioni: 2450x570x1120 mm
- Dimensioni chiuso: 1265x570x1925 mm
- Dimensioni imballo: 1580x680x235 mm
- Peso netto/lordo: 40/46,5 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975995151

- Seat: roller seat with ball bearings sliding on aluminum rail
- Pedals: ergonomic with length adjuster - with straps
- Max user weight: 150 Kg
- Dimensions: 2450x570x1120 mm
- Folded size: 1265x570x1925 mm
- Packing size: 1580x680x235 mm
- Weight/ Gross weight: 40/46,5 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975995151

TAPPETINO INSONORIZZANTE PER ATTREZZI FITNESS

• Disponibile in 3 misure. • Riduce al minimo rumori e vibrazioni . • Protegge pavimenti, parquet e tappeti. • Antiscivolo. • In PVC ad alta resistenza. • Struttura Shock Absorption: l'esclusiva struttura molecolare espansa e auto-ricompattante. MEMORY garantisce il massimo assorbimento degli impatti e dei rumori.

Cod. MAT-120

Tappetino insonorizzante per attrezzi fitness **120x80** cm - spessore **6** mm. Adatto per: Tapis roulant magnetici - Ellittiche - Biciclette da camera - Indoor cycles - Vogatori - Stepper - Panche da allenamento

Cod. MAT06-180

Tappetino insonorizzante per attrezzi fitness **180x90** cm - spessore **6** mm specifico per tapis roulant

Cod. MAT-180

Tappetino insonorizzante per attrezzi fitness **180x90** cm - spessore **9** mm specifico per tapis roulant

Cod. MAT06-200

Tappetino insonorizzante per attrezzi fitness **200x100** cm - spessore **6** mm specifico per tapis roulant

Cod. MAT-200

Tappetino insonorizzante per attrezzi fitness **200x100** cm - spessore **9** mm specifico per tapis roulant



LUBETECH - SPRAY LUBRIFICANTE SILICONICO PER TAPIS ROULANT



cod. LUBETECH - Facile e veloce da usare, l'olio al silicone TOORX lubrifica perfettamente e in modo uniforme il piano di corsa. L´applicazione regolare riduce l´usura e attutisce i rumori durante l'allenamento. Bombola spray da 200 ml con cannuccia.

FASCIA CARDIO TOORX

cod. FC-TOORX - Fascia Cardio per rilevazione wireless della frequenza cardiaca. La fascia è interfacciabile con tapis roulant, indoor cycle, biciclette da camera, cardiofrequenzimetri da polso e tutti gli apparecchi compatibili e con display aventi la stessa frequenza.



- Frequenza: 5.3KHZ
- Polar compatibile
- Batterie: CR2032
- Portata: 85 cm, max 100 cm
- Facile e veloce sostituzione della batteria



FASCIA CARDIO TOORX a tripla trasmissione

cod. FC-TOORX-3C - Fascia cardio con segnale *Bluetooth®* SMART, 5.3KHZ e ANT+. Portata max. 80 cm (5.3KHZ) e max 10 m (*Bluetooth®* SMART). La fascia cardio trasmittente rileva il segnale della frequenza cardiaca e lo trasferisce in modalità wireless al terminale ricevente.



FASCIA CARDIO POLAR T34

cod. FC-T34SB - I sensori, posizionati sul torace a contatto con la pelle, permettono una misurazione precisa ed accurata. Dotata di fascia elastica per un corretto posizionamento. La fascia può essere utilizzata con altri cardiofrequenzimetri Polar e con attrezzi fitness Polar compatibili.



TRX APP GATE 3.0

cod. TRX-AG3.0 - Sistema Bluetooth intelligente per tapis roulant APP READY 2.0 e 3.0. Si inserisce nella porta USB dedicata, posta sulla console del tapis roulant. Consente di usufruire delle App più motivanti e divertenti specifiche per l'allenamento con tapis roulant. ***Per tapis roulant APP READY 2.0 e 3.0:*** include iConsole+ Training App con mappe, itinerari, fitness plan e dati allenamento. Compatibile con Kinomap Fitness App (abbonamento non incluso) con 250.000 km di video geolocalizzati in tutto il mondo. La nuova TRX APP GATE 3.0 ha una doppia funzione, oltre che da modulo BT per connettere il tapis roulant con le App compatibili, funge anche da ricevitore per fasce cardio Bluetooth. ***Solo per tapis roulant APP READY 3.0:*** compatibile anche con Zwift App (abbonamento non incluso) per unire il divertimento dei videogiochi all'intensità di un allenamento motivante ed efficace.



EXERCISE MACHINES MAT

• Available in 3 sizes • Reduces noises and vibrations • Protects floor, parquet and carpet • Non-slip. • Super-tough PVC • Shock Absorption structure: the special MEMORY molecular self-compacting and expanding structure provides the best shock and noise absorption.

Cod. MAT-120

Exercise machines mat **120x80** cm - cm - thickness **6** mm.
Suitable for: Magnetic treadmills - Elliptical - Exercise bikes - Indoor cycles - Rowers - Steppers Exercises benches

Cod. MAT06-180

Exercise machines mat **180x90** cm - thickness **6** mm for treadmill

Cod. MAT-180

Exercise machines mat **180x90** cm - thickness **9** mm for treadmill

Cod. MAT06-200

Exercise machines mat **200x100** cm - thickness **6** mm for treadmill

Cod. MAT-200

Exercise machines mat **200x100** cm - thickness **9** mm for treadmill



LUBETECH - SILICON-BASED SPRAY LUBRICANT FOR MOTORIZED TREADMILLS



cod. LUBETECH - Easy and fast to use, TOORX silicon oil lubricates perfectly and uniformly the running surface. Lubricating treadmill running belt regularly prevents wear and reduces noises during the training. Spray contents 200 ml - pipe included.

TOORX CHEST BELT

cod. FC-TOORX - Chest Belt for wireless pulse measurement. The chest belt may interface with treadmills, indoor cycles, bikes, pulse watches and with all the compatible devices with same frequency display.



- Transm. frequency: 5.3KHZ
- Polar compatible
- Transmission distance: 85 cm, max 100 cm
- Easy and quick batteries replacing
- Battery: CR2032



TRIPLE TRANSMISSION CHEST BELT

cod. FC-TOORX-3C - Chest Belt for wireless pulse measurement. Range via Bluetooth® SMART, 5.3KHZ e ANT+. Transmission distance: max 80 cm (5.3KHZ) and max 10 m (Bluetooth® SMART). The transmitter chest belt will detect heart rate signal, and wireless transfer the signals to the receiving terminal.



POLAR T34 CHEST BELT

cod. FC-T34SB - The heart rate sensors, chest positioned in close contact with skin, allow a very precise and accurate measurement. Adjustable elastic strap for comfortable and correct use. Connects wirelessly to all Polar heart rate monitors and to all Polar-compatible fitness equipment. Blister pack.



TRX APP GATE 3.0

cod. TRX-AG3.0 - Intelligent Bluetooth system for treadmill APP READY 2.0 and 3.0. Simply insert it into the dedicated USB door, located on the treadmill console. It allows to exploit the most inspiring and enjoyable Apps specific for the training with treadmills. ***For treadmills APP READY 2.0 and 3.0:*** it includes iConsole+ Training App with maps, itineraries, fitness plans and data on the training. Compatible with Kinomap Fitness App (subscription not included) with 250.000 km and videos geolocalized everywhere in the world. The new TRX App Gate 3.0 has a double function: besides a BT module to connect the treadmill with the compatible App, it also works like a receiver for Bluetooth chest straps. ***For treadmills APP READY 3.0:*** compatible with Zwift App too (subscription not included) to combine the fun of video games with the intensity of a motivating and effective workout.



TOORX FITNESS IN MOTION

TAPIS ROULANT - TREADMILLS

	con/with TRX APP GATE 3.0 (optional)	iconsole	Kinomap	Zwift
TFK750	✓	✓	✓	✓
TFK950	✓	✓	✓	✓
RAMBLER			✓	✓
TRAVELLER			✓	✓
VOYAGER	✓	✓	✓	✓
VOYAGER PLUS	✓	✓	✓	✓
EXPERIENCE	✓	✓	✓	✓
EXPERIENCE PLUS	✓	✓	✓	✓
TOURING 3.0	✓	✓	✓	✓
EXPERIENCE PLUS TFT	✓	✓	✓	✓
TRX MARATHON 3.0	✓	✓	✓	✓
EXPERIENCE PLUS AC	✓	✓	✓	✓
ALTITUDE			✓	✓
TRX 100 3.0	✓	✓	✓	✓
MIRAGE S40	✓	✓	✓	✓
MIRAGE S50	✓	✓	✓	✓
MIRAGE S60	✓	✓	✓	✓
MIRAGE S60 TFT	✓	✓	✓	✓
MIRAGE S70	✓	✓	✓	✓
MIRAGE S80	✓	✓	✓	✓
MIRAGE S80 TFT	✓	✓	✓	✓
TFK 495 SLIM			✓	✓
TFK 655 SLIM	✓	✓	✓	✓
TFK 855 SLIM	✓	✓	✓	✓
TRX POWER COMPACT S	✓	✓	✓	✓
MIRAGE C60	✓	✓	✓	✓
MIRAGE C80	✓	✓	✓	✓

BIKES - RECUMBENT

	iconsole	Kinomap	Zwift	BKOOL / FULGAZ / RGUVY / wahoo
BRX90		✓	✓	
BRX300	✓	✓	✓	
BRX R 300	✓	✓	✓	
BRX R MULTIFIT		✓	✓	
BRX100 ERGO	✓	✓	✓	
BRX R 100 ERGO		✓		
BRX 300 ERGO	✓	✓	✓	
BRX R 300 ERGO	✓	✓	✓	

ELLITTICHE - ELLIPTICALS

ERX300	✓	✓	✓	
ERX400		✓		
ERX550		✓	✓	
ERX600		✓	✓	
ERX650		✓	✓	
ERX900	✓	✓	✓	
ERX900 TFT	✓	✓	✓	

INDOOR CYCLES

SRX SPEED MAG PRO		✓	✓	
SRX500	✓	✓	✓	
SRX EVOLVE	✓	✓	✓	
SRX REBEL	✓	✓	✓	✓

VOGATORI - ROWERS

ROWER SEA 90		✓		
ROWER CRAFT		✓		
RWX300		✓		
RWX700		✓		

Tutorial


- I dati dell'allenamento sono esportabili verso applicazioni di terze parti
- *Training data can be exported to 3rd party app*

Strava — IConsole, Kinomap, Zwift

Fitbit — IConsole, Zwift

Health — IConsole

Adidas — Kinomap, Zwift



TOORX
FITNESS IN MOTION

TOTAL BODY SQUAT

COD. TB-SQUAT











Attrezzo ideale per tutta la famiglia, con un semplice movimento si tonificano non solo i muscoli delle cosce, i polpacci ed i glutei, ma anche addominali, bicipiti, pettorali, quadricipiti e dorsali.

CONSOLE con display LCD
Informazioni: ripetizioni/minuto, visualizzazione del tempo, contatore di calorie, scan

The ideal equipment for the whole family. A simple movement is sufficient to tonify not only the thigh muscles, the calves and the gluteus, but also abdominals, biceps, triceps, quadriceps and back muscles

CONSOLE with LCD display
Functions: count/min, time, calories, scan

- Peso massimo utilizzatore: 100 Kg
- Dotazioni/note: salvaspazio
- Dimensioni: 1280x910x420 mm
- Dimensioni chiuso: 1570x420x240 mm
- Dimensioni imballo: 1345x217x154 mm
- Peso netto/lordo: 10/11 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975998367

- Max user weight: 100 Kg
- Equipment/notes: space saving
- Dimensions: 1280x910x420 mm
- Folded size: 1570x420x240 mm
- Packing size: 1345x217x154 mm
- Weight/ Gross weight: 10/11 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975998367



AB FIT

COD. AB-FIT











Ideale per il dimagrimento e l'allenamento dei muscoli addominali. Tonifica braccia, gambe e glutei. Pieghevole salvaspazio è facile da movimentare e riporre

CONSOLE con display LCD
Informazioni: consumo calorie, conteggio ripetizioni, ripetizioni/minuto, tempo

CUSCINETTI in acciaio inossidabile per un movimento fluido e silenzioso

REGOLAZIONE PENDENZA su 5 livelli

Ideal for loss weight and abdominal muscles training. Tones up arms, legs and gluteus. Folding, space-saving, easy to handle and store

CONSOLE with LCD display
Information: calorie burn, rep counting, repetitions per minute, time

STAINLESS STEEL BEARINGS for a smooth and noiseless movement

INCLINE ADJUSTMENT on 5 levels

- Peso massimo utilizzatore: 100 Kg
- Dotazioni/note: salvaspazio
- Dimensioni: 1165x420x600 mm
- Dimensioni chiuso: 1290x420x215 mm
- Dimensioni imballo: 940x150x490 mm
- Peso netto/lordo: 6,7/8,4 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975806464

- Max user weight: 100 Kg
- Equipment/notes: space saving
- Dimensions: 1165x420x600 mm
- Folded size: 1290x420x215 mm
- Packing size: 940x150x490 mm
- Weight/ Gross weight: 6,7/8,4 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975806464



panca ad inversione - inversion bench

GBX100

COD. GBX-100









REGOLABILE per altezza utente da 147 a 198 cm
Rotazione schienale su 3 livelli predefiniti (20° - 40° - 60°)
+ rotazione libera

SISTEMA DI SICUREZZA barra di sicurezza centrale
con blocca caviglie regolabile

CUSCINERIA spessore 60 mm

ADJUSTABLE for user height from 147 to 198 cm.
Backrest rotation on 3 preset levels (20° - 40° - 60°) + free rotation

SAFETY SYSTEM central safety barwith adjustable
ankle boots

SADDLERY 60 mm thickness

- Peso massimo utilizzatore: 120 Kg
- Dotazioni/note: richiudibile salvaspazio. 550x730x1890 mm
Impugnature laterali ergonomiche anti scivolo
- Dimensioni: 1350(1140)x730x1590 mm
- Dimensioni imballo: 1260x740x175 mm
- Peso netto/lordo: 26/29 kg
- Certificazioni: CE-ROHS-EN957
- Codice EAN: 8029975808420

- Max user weight: 120 Kg
- Equipment/notes: space saving foldable. 550x730x1890 mm
Lateral ergonomic non-slip hands
- Dimensions: 1350(1140)x730x1590 mm
- Packing size: 1260x740x175 mm
- Weight/ Gross weight: 26/29 kg
- Compliances: CE-ROHS-EN957
- EAN code: 8029975808420



WBX65

COD. WBX-65









PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 320 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione rettangolare 70x50x2mm

CUSCINERIA spessore 50 mm

DIMENSIONE SEDILE 1230x290x50 mm

DOTAZIONI/NOTE: panca piana

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 320 Kg

TUBING SECTION reinforced-steel rectangular tube 70x50x2 mm

SADDLERY 50 mm thickness

SADDLE SIZE 1230x290x50 mm

EQUIPMENT/NOTES: flat bench

- Dimensioni: 1230x535x410 mm
- Dimensioni imballo: 1350x400x160 mm
- Peso netto/lordo: 12/13 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975996165

- Dimensions: 1230x535x410 mm
- Packing size: 1350x400x160 mm
- Weight/ Gross weight: 12/13 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975996165



WBX100

COD. WBX-100









PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 320 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 75x75x2 mm

CUSCINERIA spessore 60 mm

DIMENSIONE SEDILE 1200x310x60 mm

DOTAZIONI/NOTE: panca piana. Maniglia e ruote di trasporto incluse

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 320 Kg

TUBING SECTION reinforced-steel square tube 75x75x2 mm

SADDLERY 60 mm thickness

SADDLE SIZE 1200x310x60 mm

EQUIPMENT/NOTES: flat bench. Handle and moving wheels included

- Dimensioni: 1455x590x438 mm
- Dimensioni imballo: 1350x400x160 mm
- Peso netto/lordo: 19/20 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975996189

- Dimensions: 1455x590x438 mm
- Packing size: 1350x400x160 mm
- Weight/ Gross weight: 19/20 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975996189



WBX40 MULTIFIT

COD. WBX-40











PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 110 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x1.5 mm

CUSCINERIA spessore 50 mm

DIMENSIONE SEDILE 850X250x50 mm

DIMENSIONE ARM CURL 460x255x50 mm

DOTAZIONI/NOTE: panca hyperextension. Panca piana/ inclinabile. Richiudibile

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 110 Kg

TUBING SECTION reinforced-steel square tube 50x50x1.5 mm

SADDLERY 50 mm thickness

SADDLE SIZE 850X250x50 mm


ARM CURL SIZE 460x255x50 mm

EQUIPMENT/NOTES: hyperextension bench. Flat/incline bench. Foldable

- Dimensioni: 1390x715x1040 mm
- Dimensioni chiuso: 1360x715x245 mm
- Dimensioni imballo: 1080x370x150 mm
- Peso netto/lordo: 28/30 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975990194

- Dimensions: 1390x715x1040 mm
- Folded size: 1360x715x245 mm
- Packing size: 1080x370x150 mm
- Weight/ Gross weight: 28/30 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975990194





WBX85

COD. WBX-85









PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 320 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x2 mm

CUSCINERIA spessore 50 mm

INCLINAZIONE SEDILE regolabile su 4 livelli (0-36°)

INCLINAZIONE SCHIENALE regolabile su 7 livelli (0-90°)

DIMENSIONE SCHIENALE: 800x250x50 mm

DIMENSIONE SEDILE 350x250x50 mm

DOTAZIONI/NOTE: panca piana/ inclinabile

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 320 Kg

TUBING SECTION reinforced-steel square tube 50x50x2 mm

SADDLERY 50 mm thickness

SADDLE INCLINE 4-level adjustment (0-36°)

BACKREST INCLINE 7-level adjustment (0-90°)

BACKREST SIZE: 800x250x50 mm

SADDLE SIZE 350x250x50 mm

EQUIPMENT/NOTES: flat/incline bench

- Dimensioni: 1200x680x450/ 1200* mm * schienale in posizione piana/ 90°
- Dimensioni imballo: 1140x470x175 mm
- Peso netto/lordo: 28/30 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975996288

- Dimensions: 1200x680x450/ 1200* mm * flat/90°backrest position
- Packing size: 1140x470x175 mm
- Weight/ Gross weight: 28/30 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975996288



WBX180 MULTIFIT









Arm curl OPTIONAL

PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 270 kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x2mm e rotonda ø50x2mm

CUSCINERIA spessore 55 mm

INCLINAZIONE SEDILE regolabile su 6 livelli (0/28°)

INCLINAZIONE SCHIENALE regolabile su 6 livelli (-27/+76°)

DOTAZIONI/NOTE ruote e maniglia di trasporto

ARM CURL OPTIONAL

Cod. ARM-CURLWBX-180MFIT
Dimensione 510x320x45/90 mm regolabile in altezza su 3 livelli.

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 270 Kg

TUBING SECTION reinforced-steel square tube 50x50x2mm and round tube ø50x2 mm

SADDLERY 55 mm thickness

SADDLE INCLINE 6-level adjustment (0/28°)

BACKREST INCLINE 6-level adjustment (-27/+76°)

EQUIPMENT/NOTES moving handle and wheels

ARM CURL OPTIONAL

Cod. ARM-CURLWBX-180MFIT
Set up size 510x320x45/90 mm 3-level height adjustment.

- Dimensioni: 1577x675x470*/1167 mm * con schienale a 0°
- Dimensioni imballo: 1190x455x175 mm
- Peso netto/lordo: 22,5/25 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975808406

- Dimensions: 1577x675x470*/1167 mm * 0° backrest position
- Packing size: 1190x455x175 mm
- Weight/ Gross weight: 22,5/25 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975808406



TOORX
FITNESS IN MOTION

WBX220 MULTIFIT

COD. WBX-220MULTIFIT









Arm curl OPTIONAL

PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 320 kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione rettangolare 50x70x2mm e quadrata 50x50x2mm

CUSCINERIA spessore 60 mm

INCLINAZIONE SEDILE regolabile su 4 livelli (0/22°)

INCLINAZIONE SCHIENALE regolabile su 7 livelli (-25,5/+88°)

DOTAZIONI/NOTE ruote di trasporto, adattatore per utilizzo dischi in ghisa con foro ø 50 mm. Leg curl incluso

ARM CURL OPTIONAL

Cod. ARM-CURLWBX-220MFIT
Dimensione 400x310x45 mm regolabile in altezza su 3 livelli.

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 320 Kg

TUBING SECTION reinforced-steel rectangular tube 70x50x2 mm and square tube 50x50x2mm

SADDLERY 60 mm thickness

SADDLE INCLINE 4-level adjustment (0/22°)

BACKREST INCLINE 7-level adjustment (-25,5/+88°)

EQUIPMENT/NOTES moving wheels, adapter for cast iron weight plates with 50 mm diameter hole. Leg curl included

ARM CURL OPTIONAL

Cod. ARM-CURLWBX-220MFIT
Set up size 400x310x45 mm 3-level height adjustment.

- Dimensioni: 1850x545(W)x 1282 * mm con leg curl
* con schienale a 88°
- Dimensioni imballo: 1220x600x170 mm
- Peso netto/lordo: 26/28 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975805337

- Dimensions: 1850x545(W)x 1282 * mm with leg curl
* 88° backrest position
- Packing size: 1220x600x170 mm
- Weight/ Gross weight: 26/28 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975805337



BOWFLEX

BENCH 4.1

COD. BOW-4.1S









REGOLAZIONE SCHIENALE su 5 livelli piano e declinato

DOTAZIONI/NOTE ruote di trasporto, rulli in foam ad alta densità

BACKREST INCLINE adjustable on 5 levels flat and declined

EQUIPMENT/NOTES ruote di trasporto, rulli in foam ad alta densità

- Dimensioni: 1420x660x510 mm
- Dimensioni imballo: 1310x445x229 mm
- Peso netto/lordo: 29/31 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 0708447914248

- Dimensions: 1420x660x510 mm
- Packing size: 1310x445x229 mm
- Weight/ Gross weight: 29/31 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 0708447914248



WBX90

COD. WBX-90



Dischi peso, bilanciere e adattatore leg extension per dischi olimpionici non inclusi
Weight plates, barbells and leg extension adapter not included







COD. ALE

Adattatore leg extension per utilizzo dischi in ghisa con foro Ø 50 mm

Leg extension adapter for cast iron weight plates with 50 mm diameter hole



PESO MASSIMO STRUTTURA (UTILIZZATORE + CARICO PESI) 240 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x1.5 mm

CUSCINERIA spessore 50 mm

INCLINAZIONE SEDILE regolabile su 3 livelli (0-30°)

INCLINAZIONE SCHIENALE regolabile su 5 livelli (0-90°)

ALTEZZA/DISTANZA SUPPORTI BILANCIERE regolabile 1075/1275 / 900 mm

DIMENSIONE ARM CURL 430x260x50 mm

DOTAZIONI/NOTE richiudibile. Leg extension ed arm curl inclusi

MAX STRUCTURE WEIGHT (USER + LOADED WEIGHTS) 240 Kg

TUBING SECTION reinforced-steel square tube 50x50x1.5 mm

SADDLERY 50 mm thickness

SADDLE INCLINE 3-level adjustment (0-30°)

BACKREST INCLINE 5-level adjustment (0-90°)


SQUAT STAND HEIGHT/DISTANCE adjustable 1075/1275 / 900 mm

ARM CURL SIZE 430x260x50 mm

EQUIPMENT/NOTES foldable. Leg extension and arm curl included

- Dimensioni: 2070x925x1315 mm
- Dimensioni chiuso: 895x925x1855 mm
- Dimensioni imballo: 1110x660x210 mm
- Peso netto/lordo: 38/40 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975990132

- Dimensions: 2070x925x1315 mm
- Folded size: 895x925x1855 mm
- Packing size: 1110x660x210 mm
- Weight/ Gross weight: 38/40 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975990132




WBX50

COD. WBX-50









PESO MASSIMO STRUTTURA 200 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x1.5 mm

ALTEZZA SUPPORTI BILANCIERE SUPERIORI regolabile 1020/1680 mm

DISTANZA SUPPORTI BILANCIERE regolabile 850/1350 mm

ALTEZZA SUPPORTI BILANCIERE INFERIORI regolabile 656/1156 mm

DOTAZIONI/NOTE doppio sistema di supporti bilanciere a regolazione indipendente. Con porta dischi. Larghezza regolabile

MAX STRUCTURE WEIGHT 200 Kg

TUBING SECTION reinforced-steel square tube 50x50x1.5 mm

UPPER SQUAT STAND HEIGHT adjustable 1020/1680 mm

SQUAT STAND DISTANCE adjustable 850/1350 mm

LOWER SQUAT STAND HEIGHT adjustable 656/1156

EQUIPMENT/NOTES Indipendently adjustable double barbell holders. Weight plates holders. Adjustable distance

- Dimensioni: 1080x1550x1820 mm
- Dimensioni imballo: 1350x460x160 mm
- Peso netto/lordo: 32/35 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975990187

- Dimensions: 1080x1550x1820 mm
- Packing size: 1350x460x160 mm
- Weight/ Gross weight: 32/35 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975990187

power tower

WBX70

COD. WBX-70







KIT-SACCOWBX-70

KIT PER SACCO BOXE
sostegno+stabilizzatore+
staffe fissaggio

BOXING BAG KIT
bracket+stabiliser+
fixing clamps



KIT-PALLAWBX-70

KIT PER PALLA VELOCE
sostegno+piatto+gancio con
cuscinetto a sfera con possibi-
lità di fissaggio anche a parete

BOXING SPEED BALL KIT
bracket+plate+ball-bearing
swivel Wall fixing also possible



Sacco box e speed ball non inclusi
Boxing bag and boxing speed ball not included

PESO MASSIMO UTILIZZATORE 120 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x1.5 mm

CUSCINERIA spessore 50 mm

DIMENSIONE SCHIENALE: 420X285X50 mm

DIMENSIONE BRACCIOLO: 310x130x50 mm

MAX USER WEIGHT 120 Kg

TUBING SECTION reinforced-steel square tube 50x50x1.5 mm

SADDLERY 50 mm thickness

BACKREST SIZE: 420X285X50 mm

ARMREST SIZE: 310x130x50 mm

- Dimensioni: 1335x985x2140 mm
- Dimensioni imballo: 1450x430x175 mm
- Peso netto/lordo: 37,5/40 kg
- Certificazioni: CE-EN ISO 20957-1
- Codice EAN: 8029975990163

- Dimensions: 1335x985x2140 mm
- Packing size: 1450x430x175 mm
- Weight/ Gross weight: 37,5/40 kg
- Compliances: CE-EN ISO 20957-1
- EAN code: 8029975990163




WLX50

COD. WLX-50









PESO MASSIMO STRUTTURA 200 Kg

STRUTTURA TUBOLARE in acciaio rinforzato a sezione quadrata 50x50x1.5mm, stabilizzatori anteriori e posteriore 60x60x1.5mm

ALTEZZA SUPPORTI BILANCIERE regolabile 620/1500 mm su 10 livelli tramite fermi in acciaio pieno cromato con dispositivi di sicurezza

DISTANZA SUPPORTI BILANCIERE: 890 mm. Adatto a bilancieri di lunghezza 120 cm o superiore

DOTAZIONI/NOTE altezza supporto bilanciere regolabile. Squat e sollevamento pesi su panca

MAX STRUCTURE WEIGHT 200 Kg

TUBING SECTION reinforced-steel square tube 50x50x1.5mm, front and rear stabilizers 60x60x1.5mm


SQUAT STAND HEIGHT adjustable on 10 levels 620/1500 mm). Steel chromed stops with safety system

SQUAT STAND DISTANCE: 890 mm. Suitable for 120 cm or longer bars

EQUIPMENT/NOTES adjustable barbell holders. Squat and bench weightlifting

- Dimensioni: 1010x800x1727 mm
- Dimensioni imballo: 1747x850x140 mm
- Peso netto/lordo: 36/39 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975992693


- Dimensions: 1010x800x1727 mm
- Packing size: 1747x850x140 mm
- Weight/ Gross weight: 36/39 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975992693




WLX70

COD. WLX-70









PESO MASSIMO STRUTTURA 300 Kg

STRUTTURA TUBOLARE tubolare in acciaio rinforzato a sezione quadrata 50x50x2 mm e rettangolare 50x75x2 mm

ALTEZZE BILANCIERE regolabile 575/1855 mm. Montati su cuscinetti a sfera per una maggiore scorrevolezza senza strappi, con sgancio rapido di sicurezza

BILANCIERE: 1955 mm. Guide scorrimento in acciaio pieno ø 24 mm. 2 sicurezze con gancio regolabili su 15 posizioni passo 85 mm h 550/ 1790 mm. Øporta dischi bilanciere per ghisa da ø 25 mm o ø 50mm. Ø impugnatura bilanciere 30 mm. Larghezza utile interna bilanciere 1060 mm

BARRA TRAZIONI: altezza da terra 2075mm - larghezza 1010mm - ø 30mm

MISURE ALTEZZA/LARGHEZZA INTERNA RACK 1945 mm / 1120 mm

DOTAZIONE barra trazioni, 4 porta dischi per ghisa da ø 25 mm o ø 50 mm, 2 fermadischi olimpionici a molla ø48mm inclusi

MAX STRUCTURE WEIGHT 300 Kg

TUBING SECTION reinforcedsteel square 50x50x2 mm and rectangular tube 50x75x2 mm

BARBELL HEIGHT adjustable 575/1855 mm. Sliding on ball bearings, with safety quick fasten system

BARBELL: 1955 mm. Barbell sliding guides steel solid bar ø 24 mm. 2 safety systems with hook to avoid barbell falling, vertically adjustable on 15 levels. Heights min550/max 1790 mm. Weight plates holder diameter suitable for ø 25 mm and ø 50mm weight plates. Barbell inner width 1060 mm

CHIN-UP BAR: 2075 mm from ground up - width 1010 mm - ø 30 mm

INNER RACK HEIGHT/WIDTH 1945 mm / 1120 mm

EQUIPMENT chin-up bar, 4 chrome plated weight plates holders suitable for ø 25 mm and ø 50 mm plates, 2 olympic spring clip safety collars ø48 mm included

- Dimensioni: 1955x1225x2075 mm
- Dimensioni imballo: 1995x320x72 + 1415x510x150 mm
- Peso netto/lordo: 87/94 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975992983

- Dimensions: 1955x1225x2075 mm
- Packing size: 1995x320x72 + 1415x510x150 mm
- Weight/ Gross weight: 87/94 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975992983



WLX90

COD. WLX-90





PESO MASSIMO UTILIZZATORE 136 Kg

STRUTTURA TUBOLARE tubolare in acciaio rinforzato a sezione rettangolare 40x60x 3 mm / 40x80x 2 mm

COLONNA PESI a caricamento dischi con foro ø 25 mm e ø 50 mm

ALTEZZE BILANCIERE da 616 mm a 1696 mm. Ø porta dischi per ghisa da ø 25 mm e ø 50 mm

ALTEZZA J-CUPS/SAFETY SPOTTER ARMS Regolabile 303/1738 mm su 13 livelli. Interasse 120 mm

MISURE ALTEZZA/LARGHEZZA INTERNA RACK 2036 mm/1048 mm

DOTAZIONE 2 j-cups, 2 safety spotter arms, lat bar, barra tricipiti dritta, chin-up bar. 4 porta dischi per ghisa da ø 25 mm e ø 50 mm, 8 fermadischi olimpionici a molla ø 49mm inclusi

MAX USER WEIGHT 136 Kg

TUBING SECTION reinforced steel rectangular tube 40x60x 3 mm / 40x80x 2 mm

WEIGHT STACKS for weight plates with ø 25 mm and ø 50 mm hole

BARBELL HEIGHT from 616 mm to 1696 mm. Weight plates holders diameter suitable for ø 25 mm and ø 50 mm plates

J-CUPS/SAFETY SPOTTER ARMS HEIGHT Adjustable on 13-level (303/1738). Distance 120 mm

INNER RACK HEIGHT/WIDTH 2036 mm/1048 mm

EQUIPMENT 2 j-cups, 2 safety spotter arms, lat bar, straight triceps bar, chin-up bar, 4 chrome plated weight plates holders suitable for ø 25 mm and ø 50 mm plates, 8 olympic spring clip safety collars ø 49 mm included

- Dimensioni: 1920x1350x2208 mm
- Dimensioni imballo: 2190x425x150 mm + 1145x425x200 mm
- Peso netto/lordo: 75/82 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975808390

- Dimensions: 1920x1350x2208 mm
- Packing size: 2190x425x150 mm + 1145x425x200 mm
- Weight/ Gross weight: 75/82kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975808390


MSX50

COD. MSX-50











Barra tricipiti, 2 maniglie multi regolazione e cavigliera per trazioni incluse
Triceps bar and pulling ankle cuff included

PACCO PESI 70 kg con carter di protezione laterale in microrete
DIMENSIONE SEDILE: 370x330x55 mm
REGOLAZIONE SEDILE: verticale su 4 livelli
DIMENSIONE SCHIENALE: 670x320x55 mm
REGOLAZIONE SCHIENALE: orizzontale su 3 livelli
REGOLAZIONE PRESSA GAMBE: verticale su 3 livelli e orizzontale su 3 livelli
FUNZIONE BUTTERFLY
FUNZIONE ARM PRESS
STRUTTURA TUBOLARE in acciaio a sezione quadrata 50x50 mm
DOTAZIONE pressa gambe regolabile, arm curl, barra tricipiti, 2 maniglie multi regolazione e cavigliera per trazioni incluse

FUNZIONI triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, pectorals, seated row, front press, leg kick back, seated shoulder press, upright row, standing leg curl, arm curl, leg press regolabile

WEIGHT STACKS 70 kg with micro-mesh protection cage
SADDLE SIZE: 370x330x55 mm
SADDLE ADJUSTMENT: 4-level vertical adjustment
BACKREST SIZE: 670x320x55 mm
BACKREST ADJUSTMENT: 3-level horizontal adjustment
LEG PRESS ADJUSTMENT: 3-level vertical and 3-level horizontal adjustment
BUTTERFLY FUNCTION
ARM PRESS FUNCTION
TUBING SECTION reinforced-steel square tube 50x50 mm
EQUIPMENT adjustable leg press, arm curl, triceps bar, 2 multi adjustment handles (fly arms) and pulling ankle cuff included

FUNCTIONS triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, pectorals, seated row, front press, leg kick back, seated shoulder press, upright row, standing leg curl, arm curl, adjustable leg press

- Peso max utilizzatore: 125 kg
- Sistema di carrucole/ pulegge con cuscinetti a sfera
- Sistema di cavi in acciaio intrecciati rivestiti in poliuretano
- Dimensioni: 1750*x1050x 2020 mm. * con pressa gambe
- Dimensioni imballo: 1960x580x245 + 420x340x190 + 430x305x175 mm
- Peso netto/lordo: 126/134 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975996318

- Max user weigh: 125 kg
- Pulley system with ball bearings
- Cables system: steel woven cables with polyurethane coating
- Dimensions: 1750*x1050x 2020 mm * with leg press mm
- Packing size: 1960x580x245 + 420x340x190 + 430x305x175 mm
- Weight/ Gross weight: 126/134 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975996318



MSX60

COD. MSX-60











Barra tricipiti, maniglia e cavigliera per trazioni incluse
Triceps bar, pulling ankle cuff and handle included

PACCO PESI 70 kg con carter di protezione laterale
DIMENSIONE SEDILE: 410x320x55 mm richiudible
REGOLAZIONE SEDILE: verticale su 2 livelli
DIMENSIONE SCHIENALE: 660x320x55 mm
REGOLAZIONE LEG EXTENSION: orizzontale su 4 livelli
FUNZIONE BUTTERFLY REGOLABILE
FUNZIONE ARM PRESS
STRUTTURA TUBOLARE in acciaio a sezione rettangolare 50x70 mm
DOTAZIONE barra tricipiti, maniglia e cavigliera per trazioni incluse
FUNZIONI triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, pectorals, seated press bar row, seated pulley row, front press, leg kick back, seated shoulder press, upright row, standing leg curl
SALVASPAZIO

WEIGHT STACKS 70 kg with lateral protection cage
SADDLE SIZE: 410x320x55 mm foldable
SADDLE ADJUSTMENT: 2-level vertical adjustment
BACKREST SIZE: 660x320x55 mm
LEG EXTENSION ADJUSTMENT: 4-level horizontal adjustment
BUTTERFLY FUNCTION ADJUSTABLE
ARM PRESS FUNCTION
TUBING SECTION reinforced-steel rectangular tube 50x70 mm
EQUIPMENT triceps bar, pulling ankle cuff and handle included
FUNCTIONS triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, pectorals, seated press bar row, seated pulley row, front press, leg kick back, seated shoulder press, upright row, standing leg curl
SPACE SAVING

- Peso max utilizzatore: 125 kg
- Sistema di carrucole/ pulegge con cuscinetti a sfera
- Sistema di cavi in acciaio intrecciati rivestiti in poliuretano
- Dimensioni:1325/1125*x 930x2060 * con sedile ripiegato
- Dimensioni imballo: 1830x 640x170 +1740x200x170 +375x335 x190 +375x335x190 mm
- Peso netto/lordo: 134/142 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975993065

- Max user weigh: 125 kg
- Pulley system with ball bearings
- Cables system: steel woven cables with polyurethane coating
- Dimensions: 1325/1125*x 930x2060 * with folded saddle
- Packing size: 1830x 640x170 +1740x200x170 +375x335 x190 + 375x335x190 mm
- Weight/ Gross weight: 134/142 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975993065



TOORX
FITNESS IN MOTION

MSX70

COD. MSX-70











Barra tricipiti, maniglia e cavigliera per trazioni incluse
Triceps bar, pulling ankle cuff and handle included

150

PACCO PESI 102 kg con carter di protezione integrale
DIMENSIONE SEDILE: 370x330x60 mm richiudible
REGOLAZIONE SEDILE: verticale su 2 livelli
DIMENSIONE SCHIENALE: 680x330x60 mm
REGOLAZIONE SCHIENALE: orizzontale su 6 livelli
REGOLAZIONE LEG EXTENSION: orizzontale su 3 livelli
FUNZIONE BUTTERFLY
FUNZIONE ARM PRESS su 2 livelli
STRUTTURA TUBOLARE in acciaio a sezione quadrata 65x65 mm
DOTAZIONE Doppia funzione butterfly e arm rowing.
Dotazione: barra tricipiti, maniglia e cavigliera per trazioni incluse
FUNZIONI triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push -down, lat pull down, biceps, pectorals, seated press bar row, seated pulley row, front press, leg kick back, upright row, standing leg curl, standing shoulder knee raise
SALVASPAZIO

WEIGHT STACKS 102 kg with full protection cage
SADDLE SIZE: 370x330x60 mm foldable
SADDLE ADJUSTMENT: 2-level vertical adjustment
BACKREST SIZE: 680x330x60 mm
BACKREST ADJUSTMENT: 6-level horizontal adjustment
LEG EXTENSION ADJUSTMENT: 3-level horizontal adjustment
BUTTERFLY FUNCTION
ARM PRESS FUNCTION - 2 levels
TUBING SECTION reinforced-steel square tube 65x65 mm
EQUIPMENT Dual function butterfly / arm rowing.
Equipment: triceps bar, pulling ankle cuff and handle
FUNCTIONS triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push -down, lat pull down, biceps, pectorals, seated press bar row, seated pulley row, front press, leg kick back, upright row, standing leg curl, standing shoulder knee raise
SPACE SAVING

- Peso max utilizzatore: 135 kg
- Sistema di carrucole/ pulegge con cuscinetti a sfera
- Sistema di cavi in acciaio intrecciati rivestiti in poliuretano
- Dimensioni:1460/1225*x 920x2135 * con sedile ripiegato
- Dimensioni imballo: 1940x520x190 +530x440x185 +1800x280x225 +495x290x195 +495x290x195 +495x290x195 mm
- Peso netto/lordo: 170/185 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975993072

- Max user weigh: 135 kg
- Pulley system with ball bearings
- Cables system: steel woven cables with polyurethane coating
- Dimensions: 1460/1225*x 920x2135 * with folded saddle
- Packing size: 1940x520x190 +530x440x185 +1800x280x225 +495x290x195 +495x290x195 +495x290x195 mm
- Weight/ Gross weight: 170/185 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975993072



MSX90

COD. MSX-90









Barra tricipiti, 2 maniglie multi regolazione, 2 maniglie, corda doppia per tricipiti e cavigliera per trazioni incluse
Triceps bar, triceps rope, 2 handles, 2 multi adjustment handles (fly arms) and pulling ankle cuff included

PACCO PESI 102 kg con carter di protezione integrale
DIMENSIONE SEDILE: 370x330x60 mm
DIMENSIONE SCHIENALE: 670x320x60 mm
REGOLAZIONE SCHIENALE: orizzontale su 3 livelli
REGOLAZIONE PRESSA GAMBE: verticale su 3 livelli e orizzontale su 3 livelli
FUNZIONE ARM PRESS su 6 livelli
REGOLAZIONE BRACCIA CON CAVO LIBERO su 6 livelli
STRUTTURA TUBOLARE in acciaio a sezione rettangolare 50x70 mm
DOTAZIONE pressa gambe regolabile.Arm curl incluso. Braccia con cavo libero. Funzione arm rowing. Dotazione: barra tricipiti, 2 maniglie multi regolazione, 2 maniglie, corda doppia per tricipiti e cavigliera per trazioni
FUNZIONI triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, seated press bar row, seated pulley row, front press, leg kick back, seated shoulder press, upright row, standing leg curl, arm curl, leg press regolabile

WEIGHT STACKS 102 kg with full protection cage
SADDLE SIZE: 370x330x60 mm
BACKREST SIZE: 670x320x60 mm
BACKREST ADJUSTMENT: 3-level horizontal adjustment
LEG PRESS ADJUSTMENT: 3-level vertical and 3-level horizontal adjustment
ARM PRESS FUNCTION 6 levels
FLY ARMS ADJUSTMENT 6 levels
TUBING SECTION reinforced-steel rectangular tube 50x70 mm
EQUIPMENT adjustable leg press.Arm curl included. Fly arms. Arm rowing function. Equipment: triceps bar, triceps rope, 2 multi adjustment handles (fly arms) and pulling ankle cuff
FUNCTIONS triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, seated press bar row, seated pulley row, front press, leg kick back, seated shoulder press, upright row, standing leg curl, arm curl, adjustable leg press

- Peso max utilizzatore: 135 kg
- Sistema di carrucole/ pulegge con cuscinetti a sfera
- Sistema di cavi in acciaio intrecciati rivestiti in poliuretano
- Dimensioni: 1840*x1500x 2080 mm - * con pressa gambe
- Dimensioni imballo: 1930x530x200 +1730x260x165 +970x970x100 +495x290x195 +495x290x195 +465x265x180 mm
- Peso netto/lordo: 195/209 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975996325

- Max user weigh: 135 kg
- Pulley system with ball bearings
- Cables system: steel woven cables with polyurethane coating
- Dimensions: 1325/1125*x 930x2060 * with folded saddle
- Packing size: 1930x530x200 +1730x260x165 +970x970x100 +495x290x195 +495x290x195 +465x265x180 mm
- Weight/ Gross weight: 195/209 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975996325



stazioni multifunzione -
multifunctional home gym

MSX300

COD. MSX-300



TOORX
FITNESS IN MOTION
CHRONO LINE





LEG PRESS MSX300
OPTIONAL

Dimensioni prodotto:
1680x1440x900 mm
Peso del prodotto: 37,3 Kg
Set up size: 1680x1440x900 mm
Weight: 37,3 Kg

EAN 8029975805962



PACCO PESI 100 kg con carter di protezione integrale
DIMENSIONE SEDILE: 370×320×60 mm
REGOLAZIONE SEDILE: verticale su 3 livelli
DIMENSIONE SCHIENALE: 670x320x60 mm
REGOLAZIONE SCHIENALE: orizzontale su 6 livelli
REGOLAZIONE PRESSA GAMBE: verticale su 4 livelli
REGOLAZIONE LEG EXTENSION: orizzontale su 2 livelli
FUNZIONE BUTTERFLY
FUNZIONE ARM PRESS su 3 livelli
REGOLAZIONE BRACCIA CON CAVO LIBERO su 6 livelli
STRUTTURA TUBOLARE in acciaio a sezione ovale 40x80 mm
DOTAZIONE triceps bar, triceps rope, 2 multi adjustment handles (fly arms) e pulling ankle cuff e istruzioni incluse
FUNZIONI triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, seated press bar row, seated pulley row, front press, leg kick back, seated shoulder press, upright row, standing leg curl, arm curl

WEIGHT STACKS 100 kg weight stacks with full protection cage
SADDLE SIZE: 370×320×60 mm
SADDLE ADJUSTMENT: 3-level vertical adjustment
BACKREST SIZE: 670x320x60 mm
BACKREST ADJUSTMENT: 6-level horizontal adjustment
LEG PRESS ADJUSTMENT: 4-level vertical adjustment
LEG EXTENSION ADJUSTMENT: 2-level horizontal adjustment
BUTTERFLY FUNCTION
ARM PRESS FUNCTION - 3 levels
FLY ARMS ADJUSTMENT - 6 levels
TUBING SECTION reinforcedsteel oval tube 40x80 mm
EQUIPMENT triceps bar, triceps rope, 2 multi adjustment handles (fly arms) and pulling ankle cuff and instructions included.
FUNCTIONS triceps, abdominal crunch, leg extension, high pull AB crunch, tricep push-down, lat pull down, biceps, seated press bar row, seated pulley row, front press, leg kick back, seated shoulder press, upright row, standing leg curl, arm curl

- Peso max utilizzatore: 150 kg
- Sistema di carrucole/ pulegge con cuscinetti a sfera
- Sistema di cavi in acciaio intrecciati rivestiti in poliuretano
- Dimensioni:2000x1400x2100 mm
- Dimensioni imballo: 1950x550x240 + 980x900x120 +1830x280x220 + 495x290x190 + 495x290x190 + 495x290x190 mm
- Peso netto/lordo: 196/212 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975805955

- Max user weigh: 150 kg
- Pulley system with ball bearings
- Cables system: steel woven cables with polyurethane coating
- Dimensions: 2000x1400x2100 mm
- Packing size: 1950x550x240 + 980x900x120 +1830x280x220 + 495x290x190 + 495x290x190 + 495x290x190 mm
- Weight/ Gross weight: 196/212 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975805955




dual pulley

CSX70

COD. CSX-70











Cavigliera per trazioni e coppia maniglie pulley incluse
Pulling ankle cuff and 2 handles included

PACCO PESI 2x50 kg con carter di protezione laterale in microrete

STRUTTURA TUBOLARE in acciaio a sezione ovale 70x30 mm e 80x40 mm

DOTAZIONE cavigliera per trazioni e coppia maniglie pulley incluse

SISTEMA DI CARRUCOLE E PULEGGE con cuscinetti a sfera

SISTEMA DI CAVI in acciaio intrecciati rivestiti in poliuretano. Carico di rottura 2000 Kg

WEIGHT STACKS 2x50 kg with micro mesh lateral protection cage

TUBING SECTION reinforced-steel oval tube 70x30 mm e 80x40 mm

EQUIPMENT pulling ankle cuff and 2 handles included

PULLEYS SYSTEM with ball bearings

STEEL WOVEN CABLES with polyuretane coating. Breaking strength 2000 Kg

- Peso max utilizzatore: 150 kg
- Dimensioni: 2068x1178x1998
- Dimensioni imballo: 2025x270x100 +1290x570x160 +400x200x270 +400x200x230 +400x200x270 +400x200x230 mm
- Peso netto/lordo: 159/167,5 kg
- Certificazioni: CE-EN ISO 20957-1/957-4
- Codice EAN: 8029975994444

- Max user weigh: 150 kg
- Dimensions: 2068x1178x1998
- Packing size: 2025x270x100 +1290x570x160 +400x200x270 +400x200x230 +400x200x270 +400x200x230 mm
- Weight/ Gross weight: 159/167,5 kg
- Compliances: CE-EN ISO 20957-1/957-4
- EAN code: 8029975994444

info@toorx.it
www.toorx.it

TOORX® e EVERFIT® sono marchi di proprietà di
TOORX® and EVERFIT® are brands of

Garlando S.p.A.
Via Regione Piemonte, 32 - Zona Ind. D1
15068 Pozzolo Formigaro (AL) - Italy
Tel. +39.0143.318500
Fax +39.0143.318585

IT-GB 10/2024

Le immagini e i dati contenuti all'interno del catalogo potrebbero differire in alcuni dettagli dagli originali.
The images and the data contained in this catalogue may differ in some details from the originals.